

Product datasheet for RC206796

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Ramp4 2 (SERP2) (NM_001010897) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Ramp4 2 (SERP2) (NM_001010897) Human Tagged ORF Clone

Tag: Myc-DDK Symbol: Ramp4 2

Synonyms: bA269C23.1; C13orf21

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC206796 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

TGTTGTCTGTGGCTCAGCTATCTTTCAGATCATTCAGAGCATAAGGATGGGCATG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC206796 protein sequence

Red=Cloning site Green=Tags(s)

MVAKQRIRMANEKHSKNITQRGNVAKTLRPQEEKYPVGPWLLALFVFVVCGSAIFQIIQSIRMGM

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Chromatograms: https://cdn.origene.com/chromatograms/mk6330 e08.zip


Restriction Sites: Sgfl-Mlul





Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001010897

ORF Size: 195 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeg: NM 001010897.3



 RefSeq Size:
 842 bp

 RefSeq ORF:
 198 bp

 Locus ID:
 387923

 UniProt ID:
 Q8N6R1

 Cytogenetics:
 13q14.11

Protein Families: Transmembrane


MW: 7.4 kDa

Gene Summary: May interact with target proteins during translocation into the lumen of the endoplasmic


reticulum. May protect unfolded target proteins against degradation and facilitate correct

glycosylation (Potential).[UniProtKB/Swiss-Prot Function]

Product images:




Circular map for RC206796



Western blot validation of overexpression lysate (Cat# [LY423217]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC206796 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).





Coomassie blue staining of purified SERP2 protein (Cat# [TP306796]). The protein was produced from HEK293T cells transfected with SERP2 cDNA clone (Cat# RC206796) using MegaTran 2.0 (Cat# [TT210002]).