

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC206798L3V

DEDD2 (NM_133328) Human Tagged ORF Clone Lentiviral Particle

Product data:

| Product Type: | Lentiviral Particles |
|------------------------------|---|
| Product Name: | DEDD2 (NM_133328) Human Tagged ORF Clone Lentiviral Particle |
| Symbol: | DEDD2 |
| Synonyms: | FLAME-3; FLAME3 |
| Mammalian Cell Selection: | Puromycin |
| Vector: | pLenti-C-Myc-DDK-P2A-Puro (PS100092) |
| Tag: | Myc-DDK |
| ACCN: | NM_133328 |
| ORF Size: | 978 bp |
| ORF Nucleotide Sequence: | The ORF insert of this clone is exactly the same as(RC206798). |
| OTI Disclaimer: | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u> |
| OTI Annotation: | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene. |
| RefSeq: | <u>NM 133328.2, NP 579874.1</u> |
| RefSeq Size: | 2025 bp |
| RefSeq ORF: | 981 bp |
| Locus ID: | 162989 |
| UniProt ID: | Q8WXF8 |
| Cytogenetics: | 19q13.2 |
| Domains: | DED |
| Protein Families: | Druggable Genome, Transcription Factors |



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

| | DEDD2 (NM_133328) Human Tagged ORF Clone Lentiviral Particle – RC206798L3V |
|---------------|--|
| MW: | 36.2 kDa |
| Gene Summary: | This gene encodes a nuclear-localized protein containing a death effector domain (DED). The encoded protein may regulate the trafficking of caspases and other proteins into the nucleus during death receptor-induced apoptosis. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jul 2012] |

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US