

## Product datasheet for RC206840L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## TFE3 (NM\_006521) Human Tagged ORF Clone Lentiviral Particle

## **Product data:**

**Product Type:** Lentiviral Particles

**Product Name:** TFE3 (NM\_006521) Human Tagged ORF Clone Lentiviral Particle

Symbol: TFE3

Synonyms: bHLHe33; RCCP2; RCCX1; TFEA

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

 Tag:
 Myc-DDK

 ACCN:
 NM\_006521

 ORF Size:
 1725 bp

**ORF Nucleotide** 

OTI Disclaimer:

Sequence:

**Domains:** 

The ORF insert of this clone is exactly the same as(RC206840).

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 006521.3, NP 006512.2

 RefSeq Size:
 3467 bp

 RefSeq ORF:
 1728 bp

 Locus ID:
 7030

 UniProt ID:
 P19532

 Cytogenetics:
 Xp11.23

**Protein Families:** Druggable Genome, Transcription Factors

HLH







**MW:** 61.5 kDa

**Gene Summary:** 

This gene encodes a basic helix-loop-helix domain-containing transcription factor that binds MUE3-type E-box sequences in the promoter of genes. The encoded protein promotes the expression of genes downstream of transforming growth factor beta (TGF-beta) signaling. This gene may be involved in chromosomal translocations in renal cell carcinomas and other cancers, resulting in the production of fusion proteins. Translocation partners include PRCC (papillary renal cell carcinoma), NONO (non-POU domain containing, octamer-binding), and ASPSCR1 (alveolar soft part sarcoma chromosome region, candidate 1), among other genes. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Aug 2013]