

Product datasheet for RC206858L1

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Ornithine Decarboxylase (ODC1) (NM_002539) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Ornithine Decarboxylase (ODC1) (NM_002539) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Ornithine Decarboxylase

Synonyms: BABS; NEDBA; NEDBIA; ODC

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC206858).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





st The last codon before the Stop codon of the ORF.

ACCN: NM_002539

ORF Size: 1383 bp



Ornithine Decarboxylase (ODC1) (NM_002539) Human Tagged Lenti ORF Clone - RC206858L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

Orn_Arg_deC_N

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 002539.1</u>

 RefSeq Size:
 2307 bp

 RefSeq ORF:
 1386 bp

 Locus ID:
 4953

 UniProt ID:
 P11926

Cytogenetics: 2p25.1

Domains:

Protein Families: Druggable Genome

Protein Pathways: Arginine and proline metabolism, Glutathione metabolism, Metabolic pathways

MW: 51.1 kDa

Gene Summary: This gene encodes the rate-limiting enzyme of the polyamine biosynthesis pathway which

catalyzes ornithine to putrescine. The activity level for the enzyme varies in response to


growth-promoting stimuli and exhibits a high turnover rate in comparison to other mammalian proteins. Originally localized to both chromosomes 2 and 7, the gene encoding

this enzyme has been determined to be located on 2p25, with a pseudogene located on 7q31-qter. Multiple alternatively spliced transcript variants encoding distinct isoforms have


been identified. [provided by RefSeq, Dec 2013]



Product images:



Circular map for RC206858L1



Double digestion of RC206858L1 using Sgfl and Mlul $\,$