

Product datasheet for **RC206868**

HHIP (NM_022475) Human Tagged ORF Clone

Product data:

| | |
|---------------------------|---|
| Product Type: | Expression Plasmids |
| Product Name: | HHIP (NM_022475) Human Tagged ORF Clone |
| Tag: | Myc-DDK |
| Symbol: | HHIP |
| Synonyms: | HIP |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-Entry (PS100001) |
| E. coli Selection: | Kanamycin (25 ug/mL) |



[View online »](#)

**ORF Nucleotide
Sequence:**

>RC206868 ORF sequence
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGCTGAAGATGCTCTCCTTTAAGCTGCTGCTGCTGGCCGTGGCTCTGGGCTTCTTTGAAGGAGATGCTA
 AGTTTGGGAAAAGAAACGAAGGGAGCGGAGCAAGGAGGAGAAGGTGCCTGAATGGGAACCCCGAAGCG
 CCTGAAAAGGAGAGACAGGAGGATGATGTCCAGCTGGAGCTGCTGAGTGGGGGAGAGATGCTGTGCGGT
 GGCTTCTACCCTCGGCTGTCTGCTGCCTGCGGAGTGACAGCCCGGGGCTAGGGCGCCTGGAGAATAAGA
 TATTTTCTGTTACCAACAACACAGAATGTGGGAAGTTACTGGAGGAAATCAAATGTGCACCTTTGCTCTCC
 ACATTCTCAAAGCCTGTTCCACTCACCTGAGAGAGAAGTCTTGGAAAGAGACCTAGTACTTCTCTGCTC
 TGCAAAGACTATTGCAAAGAATCTTTTACACTTGCCGAGGCCATATTCCAGTTTCTTCAAACAAGT
 CGGATGAGTTTTGCTTTTACTATGCAAGAAAAGATGGTGGTTGTGCTTCCAGATTTTCAAAGAAAACA
 AGTCAGAGGACCAGCATCTAACTACTTGGACCAGATGGAAGAATATGACAAAGTGAAGAGATCAGCAGA
 AAGCACAAACACAAGTCTGTATTCCAGGAGTTGTGAGTGGGCTGCGGCAGCCCGTTGGTGCCTGTC
 ATAGTGGGGATGGCTCGCAACGTCTCTTATTCTGAAAAAGAAGTTATGTGAAGATACTTACCCTGA
 AGGAGAAATTTTCAAGGAGCCTTATTTGGACATTCACAACTTGTCAAAGTGAATAAAGGGAGGAGAT
 GAAAGAGGACTGCTAAGCCTCGCATTCCATCCCAATTACAAGAAAAATGGAAAGTTGTATGTGCTCTATA
 CCACCAACCAAGAACGGTGGGCTATCGGGCCTCATGACCACATCTTAGGGTTGTGGAATACACAGTATC
 CAGAAAAATCCACCAAGTTGATTTGAGAACAGCCAGAGTCTTTCTTGAAGTTGCAGAAGTCCACAGA
 AAGCATCTGGGAGGACAAGTCTCTTTGGCCCTGACGGCTTTTGTACATCATTCTTGGTATGGGATG
 TTACACTGGATGATATGGAAGAAATGGATGGGTTAAGTGATTTACAGGCTCAGTGTCTACGGCTGGATG
 GGACACAGACATGTGCAACGTGCCTTATCCATACCAAGGAGCAACCCACACTTCAACAGCACCAACCAG
 CCCCCGAAGTGTGCTCATGGGCTCCAGATCCAGGCAGATGTGCTGTGGATAGACATCCCCTGATA
 TAAACATCAATTTAACGATACTGTGTTCCAGACTCCAATGGAAAAACAGATCATCAGCCAGAATTCTACA
 GATAATAAAGGGGAAAGATTATGAAAGTGAAGCCATCACTTTTAGAATTCAAGCCATTAGTAATGGTCTT
 TTGGTTGGTGGATTTGTATACCGGGGCTGCCAGTCAGAAAGATTGTATGGAAGCTACGTGTTGGAGATC
 GTAATGGGAATTTCTAACTCTCCAGCAAAGTCTGTGACAAAGCAGTGGCAAGAAAAACCACTCTGTCT
 CGGCACTAGTGGTCTGTAGAGGCTACTTTTCCGGTCACATCTTGGGATTTGGAGAAGATGAACTAGGT
 GAAGTTTACATTTTATCAAGCAGTAAAAGTATGACCCAGACTCACAATGGAAAACCTACAAAATTTGTA
 ATCCCAAAGACCTTTAATGCCTGAGGAATGCAGAGCCACGGTACAACCTGCACAGACACTGACTTCAGA
 GTGCTCCAGGCTCTGTGAAACGGCTACTGCACCCACCGGAAAGTGTGCTGTCAGTCCAGGCTGGGAG
 GGGGACTTCTGCAGAAGTCAAAATGTGAGCCAGCATGTGTCATGGAGGTGTCTGTGTTAGACCGAAACA
 AGTGCCTCTGAAAAAGGATATCTTGGTCTCAATGTGAACAAGTGGACAGAAACATCCGCAGAGTGAC
 CAGGGCAGGATTTCTTGATCAGATCATTGACATGACATCTTACTTGTGGATCTAACAAGTTACATTGTA

ACGCGTACGCGGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAAGTTTAA

Protein Sequence: >RC206868 protein sequence
Red=Cloning site Green=Tags(s)

```


MLKMLSFKLLLLAVALGFFEGDAKFGERNEGSGARRRRCLNGNPPKRLKRRDRRMSQLELLSGGEMLCG
GFYPRLSCLLSDSPGLGRLENKIFSVTNTECGKLEEKALCSPHSQSLFHSPEREVLERDLVPLL
CKDYCKEFFYTCRGIHPGFLQTTADEFYFYARKDGLCFDFPRKQVRGPASNYLDQMEEYDKVEEISR
KHKHNCFCIQEVVSGLRQPVGALHSGDGSQRLF ILEKEGYVKIL TPEGEIFKEPYLDIHKLVQSGIKGGD
ERGLLSLAFHPNYKNGKLYVSYTTNQRWAIGPHDHILRVVEYTVSRKNPHQVDLRTARVFLEVAELHR
KHLGGQLLFPGDGFYIILGDGMITLDDMEEMDGLSDF TGSVLRDLDVDTMDCNPYIPSRNPHFNSTNQ
PPEVFAHGLHDPGRCAVDRHPTDININLILCSDSNGKNRSSARILQIIKGDYESEPSLLEFKPFSNGP
LVGGFVYRGCSERLYGSYVFGDRNGNFLTQQSPVTKWQEKPLCLGTSGSCRGYFSGHILGFGEDELG
EYVILSSKSMQTHTNGKLYKIVDPKRPLMPEECRATVQPAQTLTSECSRLCRNGYCTPTGKCCCSPGWE
GDFCRTAKCEPACRHGGVCVRPNKCLCKKGYLGPQCEQVDRNIRRVTAGILDQIIDMTSYLLDLTSYIV
  
```

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6162_a05.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_022475


ORF Size: 2100 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

| | |
|-------------------------------|---|
| Components: | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water). |
| Reconstitution Method: | <ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C. |
| RefSeq: | NM_022475.3 |
| RefSeq Size: | 3555 bp |
| RefSeq ORF: | 2103 bp |
| Locus ID: | 64399 |
| UniProt ID: | Q96QV1 |
| Cytogenetics: | 4q31.21 |
| Domains: | EGF |
| Protein Families: | Secreted Protein |
| Protein Pathways: | Basal cell carcinoma, Hedgehog signaling pathway, Pathways in cancer |
| MW: | 78.9 kDa |
| Gene Summary: | This gene encodes a member of the hedgehog-interacting protein (HHIP) family. The hedgehog (HH) proteins are evolutionarily conserved protein, which are important morphogens for a wide range of developmental processes, including anteroposterior patterns of limbs and regulation of left-right asymmetry in embryonic development. Multiple cell-surface receptors are responsible for transducing and/or regulating HH signals. The HHIP encoded by this gene is a highly conserved, vertebrate-specific inhibitor of HH signaling. It interacts with all three HH family members, SHH, IHH and DHH. Two single nucleotide polymorphisms (SNPs) near this gene are significantly associated with risk of chronic obstructive pulmonary disease (COPD). A single nucleotide polymorphism in this gene is also strongly associated with human height.[provided by RefSeq, Feb 2011] |

Product images:



Circular map for RC206868