

# Product datasheet for RC206872L1

## PLA2G3 (NM\_015715) Human Tagged Lenti ORF Clone

### **Product data:**


#### Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

**OriGene Technologies, Inc.** 

Rockville, MD 20850, US

9620 Medical Center Drive, Ste 200

| Product Type:                | Expression Plasmids   |
|------------------------------|---|
| Product Name:                | PLA2G3 (NM_015715) Human Tagged Lenti ORF Clone   |
| Tag:                         | Myc-DDK   |
| Symbol:                      | PLA2G3  |
| Synonyms:                    | GIII-SPLA2; sPLA2-III; SPLA2III   |
| Mammalian Cell<br>Selection: | None  |
| Vector:                      | pLenti-C-Myc-DDK (PS100064)   |
| E. coli Selection:           | Chloramphenicol (34 ug/mL)  |
| ORF Nucleotide<br>Sequence:  | The ORF insert of this clone is exactly the same as(RC206872).                          |
| <b>Restriction Sites:</b>    | Sgfl-Mlul   |
| Cloning Scheme:              |   |
|                              | Cloning sites used for ORF Shuttling:<br>Sgf I ORF Mlu I<br>GCG ATC GCC ATG NNN ACG CGT |




\* The last codon before the Stop codon of the ORF.



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

#### Plasmid Map:



| ACCN:                  | NM_015715  |
|------------------------|--|
| ORF Size:              | 1527 bp  |
| OTI Disclaimer:        | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>                                  |
| OTI Annotation:        | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.   |
| Components:            | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).   |
| Reconstitution Method: | <ol> <li>Centrifuge at 5,000xg for 5min.</li> <li>Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>Close the tube and incubate for 10 minutes at room temperature.</li> <li>Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol> |
| RefSeq:                | <u>NM 015715.2</u>   |
| RefSeq Size:           | 2717 bp  |
| RefSeq ORF:            | 1530 bp  |
|                        |  |

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

| <b>GENE</b> PLA2G3 (NM_015715) Human Tagged Lenti ORF Clone – RC206872L1 |   |  |
|--|---|--|
| Locus ID:  | 50487   |  |
| UniProt ID:  | <u>Q9NZ20</u>   |  |
| Cytogenetics:  | 22q12.2   |  |
| Protein Families:  | Druggable Genome, Secreted Protein  |  |
| Protein Pathways:  | alpha-Linolenic acid metabolism, Arachidonic acid metabolism, Ether lipid metabolism, Fc<br>epsilon RI signaling pathway, Glycerophospholipid metabolism, GnRH signaling pathway,<br>Linoleic acid metabolism, Long-term depression, MAPK signaling pathway, Metabolic<br>pathways, Vascular smooth muscle contraction, VEGF signaling pathway  |  |
| MW:  | 57.2 kDa  |  |
| Gene Summary:  | This gene encodes a protein that belongs to the secreted phospholipase A2 family, whose members include the bee venom enzyme. The encoded enzyme functions in lipid metabolism and catalyzes the calcium-dependent hydrolysis of the sn-2 acyl bond of phospholipids to release arachidonic acid and lysophospholipids. This enzyme acts as a negative regulator of ciliogenesis, and may play a role in cancer development by stimulating tumor cell growth and angiogenesis. This gene is associated with oxidative stress, and polymorphisms in this gene are linked to risk for Alzheimer's disease. [provided by RefSeq, Apr 2014] |  |

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US