

Product datasheet for RC206912L4

DUSP28 (NM_001033575) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Tag: mGFP

Symbol: DUSP28

Synonyms: DUSP26; VHP

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)


E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide Sequence: The ORF insert of this clone is exactly the same as(RC206912).

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_001033575

ORF Size: 528 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

EU: info-de@origene.com CN: techsupport@origene.cn



DUSP28 (NM_001033575) Human Tagged Lenti ORF Clone | RC206912L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um

filter is required.

RefSeq: <u>NM_001033575.1</u>, <u>NP_001028747.1</u>

RefSeq Size: 1555 bp

RefSeq ORF: 531 bp

Locus ID: 285193

UniProt ID: Q4G0W2

Cytogenetics: 2q37.3

MW: 18.3 kDa


Gene Summary: Has phosphatase activity with the synthetic substrate 6,8-difluoro-4-methylumbelliferyl

phosphate (in vitro) (PubMed:24531476, PubMed:29121083). Has almost no detectable activity with phosphotyrosine, even less activity with phosphothreonine and displays complete lack of activity with phosphoserine (PubMed:29121083). The poor activity with phosphotyrosine may be due to steric hindrance by bulky amino acid sidechains that obstruct access to the active site

(PubMed:29121083).[UniProtKB/Swiss-Prot Function]



Product images:



Circular map for RC206912L4