

## Product datasheet for RC206944L1V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## POLDIP1 (KCTD13) (NM 178863) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** POLDIP1 (KCTD13) (NM\_178863) Human Tagged ORF Clone Lentiviral Particle

Symbol:

BACURD1; FKSG86; hBACURD1; PDIP1; POLDIP1 Synonyms:

**Mammalian Cell** 

Selection:

ACCN:

None

Vector: pLenti-C-Myc-DDK (PS100064)

Tag: Myc-DDK NM 178863

**ORF Size:** 987 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC206944).

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of OTI Disclaimer:

> reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 178863.2, NP 849194.1

RefSeq Size: 1745 bp RefSeq ORF: 990 bp Locus ID: 253980 **UniProt ID:** Q8WZ19 Cytogenetics: 16p11.2

**Protein Families:** Ion Channels: Other, Transcription Factors

MW: 36.4 kDa







## **Gene Summary:**

Substrate-specific adapter of a BCR (BTB-CUL3-RBX1) E3 ubiquitin-protein ligase complex required for synaptic transmission (PubMed:19782033). The BCR(KCTD13) E3 ubiquitin ligase complex mediates the ubiquitination of RHOA, leading to its degradation by the proteasome (PubMed:19782033) Degradation of RHOA regulates the actin cytoskeleton and promotes synaptic transmission (By similarity).[UniProtKB/Swiss-Prot Function]