

# **Product datasheet for RC207018**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### CXCL7 (PPBP) (NM 002704) Human Tagged ORF Clone

**Product data:** 

**Product Type: Expression Plasmids** 

**Product Name:** CXCL7 (PPBP) (NM\_002704) Human Tagged ORF Clone

Tag: Myc-DDK CXCL7 Symbol:

B-TG1; Beta-TG; CTAP-III; CTAP3; CTAPIII; CXCL7; LA-PF4; LDGF; MDGF; NAP-2; PBP; SCYB7; Synonyms:

TC1; TC2; TGB; TGB1; THBGB; THBGB1

Mammalian Cell

Selection:

Neomycin

Vector: pCMV6-Entry (PS100001) E. coli Selection: Kanamycin (25 ug/mL) **ORF Nucleotide** >RC207018 ORF sequence

Red=Cloning site Blue=ORF Green=Tags(s) Sequence:

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGAGCCTCAGACTTGATACCACCCCTTCCTGTAACAGTGCGAGACCACTTCATGCCTTGCAGGTGCTGC TGCTTCTGTCATTGCTGACTGCTCTGGCTTCCTCCACCAAAGGACAAACTAAGAGAAACTTGGCGAA AGGCAAAGAGGAAAGTCTAGACAGTGACTTGTATGCTGAACTCCGCTGCATGTGTATAAAGACAACCTCT GGAATTCATCCCAAAAACATCCAAAGTTTGGAAGTGATCGGGAAAGGAACCCATTGCAACCAAGTCGAAG TGATAGCCACACTGAAGGATGGGAGGAAAATCTGCCTGGACCCAGATGCTCCCAGAATCAAGAAAATTGT

ACAGAAAAATTGGCAGGTGATGAATCTGCTGAT

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >RC207018 protein sequence

Red=Cloning site Green=Tags(s)

MSLRLDTTPSCNSARPLHALQVLLLLSLLLTALASSTKGQTKRNLAKGKEESLDSDLYAELRCMCIKTTS

GIHPKNIQSLEVIGKGTHCNQVEVIATLKDGRKICLDPDAPRIKKIVQKKLAGDESAD

TRTRPLEOKLISEEDLAANDILDYKDDDDKV

**Chromatograms:** https://cdn.origene.com/chromatograms/mk6018 e08.zip


**Restriction Sites:** Sgfl-Mlul





#### **Cloning Scheme:**





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_002704

ORF Size: 384 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 002704.3</u>

RefSeq Size: 1307 bp
RefSeq ORF: 387 bp
Locus ID: 5473
UniProt ID: P02775
Cytogenetics: 4q13.3



Domains: IL8

**Protein Families:** Druggable Genome, Secreted Protein, Transmembrane

**Protein Pathways:** Chemokine signaling pathway, Cytokine-cytokine receptor interaction

**MW:** 13.9 kDa


**Gene Summary:** The protein encoded by this gene is a platelet-derived growth factor that belongs to the CXC

chemokine family. This growth factor is a potent chemoattractant and activator of neutrophils. It has been shown to stimulate various cellular processes including DNA


synthesis, mitosis, glycolysis, intracellular cAMP accumulation, prostaglandin E2 secretion, and synthesis of hyaluronic acid and sulfated glycosaminoglycan. It also stimulates the formation and secretion of plasminogen activator by synovial cells. The protein also is an antimicrobial

protein with bactericidal and antifungal activity. [provided by RefSeq, Nov 2014]

## **Product images:**




Circular map for RC207018



Western blot validation of overexpression lysate (Cat# [LY400952]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC207018 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).





Coomassie blue staining of purified PPBP protein (Cat# [TP307018]). The protein was produced from HEK293T cells transfected with PPBP cDNA clone (Cat# RC207018) using MegaTran 2.0 (Cat# [TT210002]).