

## Product datasheet for RC207019L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## CXCR1 (NM\_000634) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** CXCR1 (NM\_000634) Human Tagged ORF Clone Lentiviral Particle

Symbol: CXCR1

Synonyms: C-C; C-C-CKR-1; CD128; CD181; CDw128a; CKR-1; CMKAR1; IL8R1; IL8RA; IL8RBA

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

 Tag:
 Myc-DDK

 ACCN:
 NM\_000634

**ORF Size:** 1050 bp

**ORF Nucleotide** 

Sequence:

The ORF insert of this clone is exactly the same as(RC207019).

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 000634.2</u>

 RefSeq Size:
 2502 bp

 RefSeq ORF:
 1053 bp

 Locus ID:
 3577

 UniProt ID:
 P25024

 Cytogenetics:
 2q35

 Domains:
 7tm 1

**Protein Families:** Druggable Genome, GPCR, Transmembrane





## CXCR1 (NM\_000634) Human Tagged ORF Clone Lentiviral Particle - RC207019L3V

**Protein Pathways:** Chemokine signaling pathway, Cytokine-cytokine receptor interaction, Endocytosis, Epithelial

cell signaling in Helicobacter pylori infection

MW: 39.8 kDa

**Gene Summary:** The protein encoded by this gene is a member of the G-protein-coupled receptor family. This

protein is a receptor for interleukin 8 (IL8). It binds to IL8 with high affinity, and transduces the signal through a G-protein activated second messenger system. Knockout studies in mice suggested that this protein inhibits embryonic oligodendrocyte precursor migration in developing spinal cord. This gene, IL8RB, a gene encoding another high affinity IL8 receptor,

as well as IL8RBP, a pseudogene of IL8RB, form a gene cluster in a region mapped to

chromosome 2q33-q36. [provided by RefSeq, Jul 2008]