

Product datasheet for RC207089L1

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

OSGEP (NM_017807) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: OSGEP (NM_017807) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: OSGEP

Synonyms: GAMOS3; GCPL1; KAE1; OSGEP1; PRSMG1; TCS3

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC207089).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_017807

ORF Size: 1005 bp





OSGEP (NM_017807) Human Tagged Lenti ORF Clone - RC207089L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 017807.2</u>

RefSeq Size: 1642 bp
RefSeq ORF: 1008 bp
Locus ID: 55644
UniProt ID: Q9NPF4
Cytogenetics: 14q11.2

Domains: Peptidase M22

Protein Families: Druggable Genome, Protease

MW: 36.4 kDa

Gene Summary: Component of the EKC/KEOPS complex that is required for the formation of a

threonylcarbamoyl group on adenosine at position 37 (t(6)A37) in tRNAs that read codons


beginning with adenine. The complex is probably involved in the transfer of the

threonylcarbamoyl moiety of threonylcarbamoyl-AMP (TC-AMP) to the N6 group of A37. OSGEP likely plays a direct catalytic role in this reaction, but requires other protein(s) of the


complex to fulfill this activity.[UniProtKB/Swiss-Prot Function]



Product images:



Circular map for RC207089L1



Double digestion of RC207089L1 using Sgfl and Mlul $\,$