

Product datasheet for RC207105L2V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

GDF 5 (GDF5) (NM_000557) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: GDF 5 (GDF5) (NM 000557) Human Tagged ORF Clone Lentiviral Particle

Symbol: GDF 5

Synonyms: BDA1C; BMP-14; BMP14; CDMP1; DUPANS; LAP-4; LAP4; OS5; SYM1B; SYNS2

Mammalian Cell

Selection:

None

Vector: pLenti-C-mGFP (PS100071)

Tag: mGFP

ACCN: NM_000557 **ORF Size:** 1503 bp

ORF Nucleotide

OTI Disclaimer:

The ORF insert of this clone is exactly the same as(RC207105).

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 000557.2

 RefSeq Size:
 2344 bp

 RefSeq ORF:
 1506 bp

 Locus ID:
 8200

 UniProt ID:
 P43026

 Cytogenetics:
 20q11.22

Protein Families: Adult stem cells, Cancer stem cells, Druggable Genome, Embryonic stem cells, ES Cell

Differentiation/IPS, Secreted Protein, Stem cell relevant signaling - TGFb/BMP signaling

pathway





GDF 5 (GDF5) (NM_000557) Human Tagged ORF Clone Lentiviral Particle - RC207105L2V

Protein Pathways: Cytokine-cytokine receptor interaction, TGF-beta signaling pathway

MW: 55.4 kDa

Gene Summary: This gene encodes a secreted ligand of the TGF-beta (transforming growth factor-beta)

superfamily of proteins. Ligands of this family bind various TGF-beta receptors leading to recruitment and activation of SMAD family transcription factors that regulate gene

expression. The encoded preproprotein is proteolytically processed to generate each subunit of the disulfide-linked homodimer. This protein regulates the development of numerous tissue and cell types, including cartilage, joints, brown fat, teeth, and the growth of neuronal axons and dendrites. Mutations in this gene are associated with acromesomelic dysplasia, brachydactyly, chondrodysplasia, multiple synostoses syndrome, proximal symphalangism,

and susceptibility to osteoarthritis. [provided by RefSeq, Aug 2016]