

Product datasheet for RC207136L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

ST14 (NM_021978) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: ST14 (NM_021978) Human Tagged ORF Clone Lentiviral Particle

Symbol: ST14

Synonyms: ARCI11; CAP3; HAI; MT-SP1; MTSP1; PRSS14; SNC19; TADG15; TMPRSS14

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_021978 **ORF Size:** 2565 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC207136).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 021978.3</u>

 RefSeq Size:
 3319 bp

 RefSeq ORF:
 2568 bp

 Locus ID:
 6768

 UniProt ID:
 Q9Y5Y6

 Cytogenetics:
 11q24.3

Domains: CUB, Tryp_SPc, ldl_recept_a

Protein Families: Druggable Genome, Protease, Transmembrane





ORIGENE

MW: 94.6 kDa

Gene Summary: The protein encoded by this gene is an epithelial-derived, integral membrane serine

protease. This protease forms a complex with the Kunitz-type serine protease inhibitor, HAI-1, and is found to be activated by sphingosine 1-phosphate. This protease has been shown to cleave and activate hepatocyte growth factor/scattering factor, and urokinase plasminogen activator, which suggest the function of this protease as an epithelial membrane activator for other proteases and latent growth factors. The expression of this protease has been associated with breast, colon, prostate, and ovarian tumors, which implicates its role in cancer invasion, and metastasis. [provided by RefSeq, Jul 2008]