

Product datasheet for RC207148

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Porimin (TMEM123) (NM_052932) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Porimin (TMEM123) (NM 052932) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: Porimin

Synonyms: KCT3; PORIMIN; PORMIN

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)ORF Nucleotide>RC207148 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

 ${\tt TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC}$

GCCGCGATCGCC

ATGGGACTCGGCGCGCGAGGTGCTTGGGCCGCGCTGCTCCTGGGGACGCTGCAGGTGCTAGCGCTGCTGGGGCCGCCCATGAAAGCCAGCAGCCATGGCGGCATCTGCAAACATAGAGAATTCTGGGCTTCCACACAACTC CAGTGCTAACTCAACAGAGACTCTCCAACATGTGCCTTCTGACCATACAAATGAAACTTCCAACAGTACT GTGAAACCACCAACTTCAGTTGCCTCAGACTCCAGTAATACAACGGTCACCACCATGAAACCTACAGCGG CATCTAATACAACAACAACACCAGGGATGGTCTCAACAAAATATGACTTCTACCACCTTAAAGTCTACACCCAA AACAACAAGTGTTTCACAGAACAACTCTCAGATATCAACATCCACAATGACCGTAACCCACAATAGTTCA GTGACATCTGCTTCATCAGTAACAATCACAACAACTATGCATTCTGAAGCAAAAGAAAAATTTGATACTGGGAGCTTTGTTGGTGGTATTGTATTAACGCTGGGAGTTTTATCTATTCTTTACATTGGATG CAAAATGTATTACTCAAGAAGAAGAAGAGCATTCGGTATCGAACCATAGATGAACATGATCATTT

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC207148 protein sequence

Red=Cloning site Green=Tags(s)

MGLGARGAWAALLLGTLQVLALLGAAHESAAMAASANIENSGLPHNSSANSTETLQHVPSDHTNETSNST VKPPTSVASDSSNTTVTTMKPTAASNTTTPGMVSTNMTSTTLKSTPKTTSVSQNTSQISTSTMTVTHNSS VTSAASSVTITTTMHSEAKKGSKFDTGSFVGGIVLTLGVLSILYIGCKMYYSRRGIRYRTIDEHDAII

TRTRPLEQKLISEEDLAANDILDYKDDDDKV




ORÏGENE


Chromatograms: https://cdn.origene.com/chromatograms/mk6333 c06.zip

Restriction Sites:

Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_052932

ORF Size: 624 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: NM 052932.3

RefSeq Size: 3605 bp



RefSeq ORF: 627 bp **Locus ID:** 114908

UniProt ID: Q8N131

Cytogenetics: 11q22.2

Protein Families: Transmembrane


MW: 21.5 kDa

Gene Summary: This gene encodes a highly glycosylated transmembrane protein with a high content of

threonine and serine residues in its extracellular domain, similar to a broadly defined category of proteins termed mucins. Exposure of some cell types to anti-PORIMIN (prooncosis receptor inducing membrane injury) antibody, crosslinks this protein on the cell surface and induces a type of cell death termed oncosis. Oncosis is distinct from apoptosis and is characterized by a loss of cell membrane integrity without DNA fragmentation. This gene product is proposed to function as a cell surface receptor that mediates cell death.


[provided by RefSeq, Jul 2008]

Product images:



Circular map for RC207148





Western blot validation of overexpression lysate (Cat# [LY409388]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC207148 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).