

Product datasheet for **RC207207**

ZNF539 (ZNF254) (NM_203282) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	ZNF539 (ZNF254) (NM_203282) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	ZNF539
Synonyms:	BMZF-5; HD-ZNF1; ZNF91L; ZNF539
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RC207207 ORF sequence, **codon optimized**.
 Due to the complexity of NM_203282, the ORF clone is codon optimized for mammalian Expression.
 The nucleotide sequence differs from the reference sequence, yet the amino acid sequence remains identical.

Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGCCAGGTCCACCAGTCCCTGGAAATGGGGCTTCTCACGTTCCGGGACGTAGCCATTGAGTTAGCC
 TCGAGGAATGGCAGCATCTGGACATAGCCAGCAGAACCTGTACCGCAACGTGATGCTTGAGAACTACCG
 AAATTTGGCCTTTCTGGGGATCGCCGTGAGCAAACCTGATCTGATCACGTGTCTTGAGCAGGGAAAAGAA
 CCGTGGAAATGAAGAGACATGAAATGGTGGACGAGCCACCGGGCATGTGCCACACTTTGCCAGGATC
 TTTGGCCTGAGCAGGGCATGGAAGATAGCTTTCAAAGGCAATCCTGCGCAGATACGGGAAGTACGGTCA
 CGAGAATCTGCAGCTGCGCAAGGGATGTAAAAGTGTGCGACGAATACAAAGTCAACAAGAAGGATATAAT
 GGTCTTAACAGTGTTTCAACAGGCCAGAGCAAGGTGTTCCAGTGGCATAAATATCTCAAGGTGTTCT
 ACAAATTTCTTAATTCACAGACCAAAGATCCGGCATACCGAGAAAAAGTCTTTAAGTGCAAAAAAGCG
 GGTCAAGCTTTTTTGCATGCTGTCTCATAAGACCCAGCACAAAAGTATATACCACCGGAAAAATCTTAT
 AAGTGAAGGAGTGTGGGAAAACTTTTAACTGGAGTTCACGTTGACGAATCACAGGAAAATCTATACTG
 AGGAAAAGCCTTACAAATGCGAGGAGTATAACAAGTCTCAAAGCAGTTGTCAACCCTTACTACACATGA
 GATTATCCACGCCGGCGAAAAGCTGTACAAATGTGAAGAATGCGGAGAAGCTTTCAATAGGTCATCAAAC
 CTCACCACACATAAAAATTATCCACACCGCGAAAAGCCTTACAAGTGCAGGAGTGCAGGAAAGGCATTTA
 TCTGGAGTAGCACGCTTACAGAACATAAAAAGATCCACACTCGAAAAGAAACCATATAAGTGCGAAGAGTG
 CGGTAAGGCATTTATCTGGTCTTCCACACTCACTAGGCATAAAAAGAAATGCACACCGGGGAAAAACCAT
 AAGTGTGAAGAATGCGGAAAGGCTTTCTCACAGTCCAGCACACTGACCACTCACAAGATAATTCACACCG
 GGGAGAAACGCTACAAATGCCTCGAGTGCAGGAAAGGCTTTTAAACAGCTGTCAACCCTCACAACCCATA
 GATTATACACGTCGGGAAAAGCTCTACAAGTGCAGGAGTGCAGGAAAGGATTCAATCGGAGCAGCAAC
 CTGACAACCCATAAAAATAATTCACACAGGAGAAAAGCCGTACAAGTGCAGGAGTGTGGTAAAGCATTTA
 TCTGGAGCAGCACACTGACTAAACACAAGAGAATTCACACGAGGAAAAGCCCTACAAGTGTGAAGAGTG
 TGGGAAGGCATTTATCTGGTCTAGCACCTTACTCGACACAAGAGAATGCATACAGGAGAGAAGCCCTAT
 AAGTGCAGGAAATGCGGCAAGTCTTTTTCCAGTCCCTCTACTCTCACTACCCATAAGATAATCCACACTG
 GTGAGAAGCCTTATAAATGCGAAGAATGCGGGAAGGCATTTAACTGGAGCTCTACTCTCACTAAACACAA
 AATCATCCATACCGAGGAGAAAACCATATAAATGCGAAAAATGTGGTAAGGCATTTAAACAGTCCAGCATA
 CTCACCAATCACAAACGGATTACACCGGGGAGAAAGCCCTACAAATGCGAGGAATGCGGCAAGTCCTTTA
 ACAGGTCTACTTTTACCAAGCACAAAGTTATCCATACTGGCGTAAAACCTTACAAGTGCAGGAGTG
 TGGCAAGGCATTTCTTTGGTCTAGCACACTGACAAAGCACAAAAGAATACATACCGGGGAACAACCTTAC
 AAATGGGAAAAATTTGGCAAGGCGTTCAACCGCAGCAGTCATCTGACTACTGACAAGTCACTCACTGGC
 GCGAAATCTTCAAGTC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC207207 representing NM_203282
Red=Cloning site Green=Tags(s)

MPGPPRSLEMGLLTFRDVAIEFSLEEWQHLDIAQQNLYRNVMLNRYRNLAF LGIAVSKPDLITCLEQGKE
 PWNMKRHEMVDEPPGMCPHFAQDLWPEQGMEDSFQKAILRRYKGYGHENLQLRKGCKSVDEYKVNKEGYN
 GLNQCF TTAQSKVFQCDKYLKVFYKFLNSNRPKIRHTEKKSFKCKKRVKLF CMLSHKTQHKSIYHREKSY
 KCKEKGTFNWSSTLTNHRKIYTEEKPYKCEEYKSPKQLSTLT THEIIHAGEKLYKCEECEAFNRSSN
 LTTHKIIHTGEKPYKCEECEGKAFIWSSTL TEHKKIHRKPKYKCEECEGKAFIWSSTLTRHKRMHTGEKPY
 KCEECEGKAFS QSSTLTTHKIIHTGEKRYKLECEGKAFKQLSTLTTHKIIHVGEKLYKCEECEGKGFNRSSN
 LTTHKIIHTGEKPYKCEECEGKAFIWSSTLT KHKRIHTREKPYKCEECEGKAFIWSSTLTRHKRMHTGEKPY
 KCEECEGKFS QSSTLTTHKIIHTGEKPYKCEECEGKAFNWSSTLT KHKIIHTEEKPYKCEKCGKAFKQSSI
 LTNHKRIHTGEKPYKCEECEGKSFNRSTFTKHKVIHTGVKPYKCEECEGKAFFWSSTLT KHKRIHTGEQPY
 KWEKFGKAFNRSSHLTTDKITHWREILQV

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:



ACCN: NM_203282

ORF Size: 1977 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_203282.1](#), [NM_203282.2](#), [NM_203282.3](#), [NP_975011.2](#), [NP_975011.3](#)

RefSeq Size: 4127 bp

RefSeq ORF: 1980 bp

Locus ID: 9534

UniProt ID: [O75437](#)


Cytogenetics: 19p12

Protein Families: Transcription Factors

MW: 77.2 kDa

Gene Summary: Zinc finger proteins have been shown to interact with nucleic acids and to have diverse functions. The zinc finger domain is a conserved amino acid sequence motif containing 2 specifically positioned cysteines and 2 histidines that are involved in coordinating zinc. Kruppel-related proteins form 1 family of zinc finger proteins. See ZFP93 (MIM 604749) for additional information on zinc finger proteins.[supplied by OMIM, Jul 2002]

Product images:



Circular map for RC207207