

Product datasheet for RC207218L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PRKACB (NM_002731) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: PRKACB (NM_002731) Human Tagged ORF Clone Lentiviral Particle

Symbol: PRKACB

Synonyms: CAFD2; PKA C-beta; PKACB

Mammalian Cell

Selection:

None

Vector: pLenti-C-Myc-DDK (PS100064)

 Tag:
 Myc-DDK

 ACCN:
 NM_002731

 ORF Size:
 1053 bp

ORF Nucleotide

OTI Disclaimer:

notide The

Sequence:

The ORF insert of this clone is exactly the same as(RC207218).

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This

clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 002731.2

 RefSeq Size:
 4616 bp

 RefSeq ORF:
 1056 bp

 Locus ID:
 5567

 UniProt ID:
 P22694

Cytogenetics: 1p31.1

Domains: pkinase, S_TK_X, TyrKc, S_TKc

Protein Families: Druggable Genome, Protein Kinase



PRKACB (NM_002731) Human Tagged ORF Clone Lentiviral Particle - RC207218L1V

Protein Pathways: Apoptosis, Calcium signaling pathway, Chemokine signaling pathway, Dilated

cardiomyopathy, Gap junction, GnRH signaling pathway, Hedgehog signaling pathway, Insulin signaling pathway, Long-term potentiation, MAPK signaling pathway, Melanogenesis,

Olfactory transduction, Oocyte meiosis, Prion diseases, Progesterone-mediated oocyte maturation, Taste transduction, Vascular smooth muscle contraction, Vibrio cholerae

infection, Wnt signaling pathway

MW: 40.6 kDa

Gene Summary: The protein encoded by this gene is a member of the serine/threonine protein kinase family.

The encoded protein is a catalytic subunit of cAMP (cyclic AMP)-dependent protein kinase, which mediates signalling though cAMP. cAMP signaling is important to a number of processes, including cell proliferation and differentiation. Multiple alternatively spliced transcript variants encoding distinct isoforms have been observed. [provided by RefSeq, Jul

2014]