

## Product datasheet for RC207388L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **GREM2 (NM\_022469) Human Tagged ORF Clone Lentiviral Particle**

## **Product data:**

**Product Type:** Lentiviral Particles

**Product Name:** GREM2 (NM\_022469) Human Tagged ORF Clone Lentiviral Particle

Symbol: GREM2

**Synonyms:** CKTSF1B2; DAND3; PRDC; STHAG9

**Mammalian Cell** 

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM 022469

ORF Size: 504 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC207388).

Sequence:

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 022469.3

 RefSeq Size:
 4199 bp

 RefSeq ORF:
 507 bp

 Locus ID:
 64388

 UniProt ID:
 Q9H772

 Cytogenetics:
 1q43

 Domains:
 DAN, CT

**Protein Families:** Secreted Protein





ORIGENE

**MW:** 19.4 kDa

**Gene Summary:** This gene encodes a member of the BMP (bone morphogenic protein) antagonist family. Like

BMPs, BMP antagonists contain cystine knots and typically form homo- and heterodimers. The CAN (cerberus and dan) subfamily of BMP antagonists, to which this gene belongs, is characterized by a C-terminal cystine knot with an eight-membered ring. The antagonistic effect of the secreted glycosylated protein encoded by this gene is likely due to its direct binding to BMP proteins. As an antagonist of BMP, this gene may play a role in regulating organogenesis, body patterning, and tissue differentiation. [provided by RefSeq, Jul 2008]