

## Product datasheet for RC207409L1V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## CDC25B (NM\_021873) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

Product Type: Lentiviral Particles

**Product Name:** CDC25B (NM\_021873) Human Tagged ORF Clone Lentiviral Particle

Symbol: CDC25B

Mammalian Cell None

Selection:

Vector: pLenti-C-Myc-DDK (PS100064)

Tag: Myc-DDK

**ACCN:** NM\_021873

**ORF Size:** 1740 bp

**ORF Nucleotide** 

Sequence:

The ORF insert of this clone is exactly the same as(RC207409).

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeq:** <u>NM 021873.2</u>

 RefSeq Size:
 3696 bp

 RefSeq ORF:
 1743 bp

 Locus ID:
 994

 UniProt ID:
 P30305

UniProt ID: P30305

Cytogenetics: 20p13

Domains: RHOD

**Protein Families:** Druggable Genome, Phosphatase

**Protein Pathways:** Cell cycle, MAPK signaling pathway, Progesterone-mediated oocyte maturation





ORÏGENE

**MW:** 65 kDa

**Gene Summary:** CDC25B is a member of the CDC25 family of phosphatases. CDC25B activates the cyclin

dependent kinase CDC2 by removing two phosphate groups and it is required for entry into mitosis. CDC25B shuttles between the nucleus and the cytoplasm due to nuclear localization and nuclear export signals. The protein is nuclear in the M and G1 phases of the cell cycle and moves to the cytoplasm during S and G2. CDC25B has oncogenic properties, although its role in tumor formation has not been determined. Multiple transcript variants for this gene

exist. [provided by RefSeq, Jul 2008]