

## **Product datasheet for RC207414L2**

### 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

### MAPK4 (NM\_002747) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** MAPK4 (NM\_002747) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: MAPK4

Synonyms: ERK-4; ERK4; p63-MAPK; p63MAPK; PRKM4

Mammalian Cell None

Selection:

**Vector:** pLenti-C-mGFP (PS100071)

**E. coli Selection:** Chloramphenicol (34 ug/mL)

**ORF Nucleotide** 


The ORF insert of this clone is exactly the same as(RC207414).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_002747

ORF Size: 1761 bp





#### MAPK4 (NM\_002747) Human Tagged Lenti ORF Clone - RC207414L2

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 002747.3</u>, <u>NP 002738.2</u>

 RefSeq Size:
 4736 bp

 RefSeq ORF:
 1764 bp

 Locus ID:
 5596

**UniProt ID:** 

**Cytogenetics:** 18q21.1-q21.2

**Domains:** pkinase, TyrKc, S\_TKc

**Protein Families:** Druggable Genome, Protein Kinase

P31152

**MW:** 66 kDa


**Gene Summary:** Mitogen-activated protein kinase 4 is a member of the mitogen-activated protein kinase

family. Tyrosine kinase growth factor receptors activate mitogen-activated protein kinases which then translocate into the nucleus and phosphorylate nuclear targets. Alternative

splicing results in multiple transcript variants. [provided by RefSeq, May 2014]



# **Product images:**



Circular map for RC207414L2