

## Product datasheet for RC207438L4V

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# PAK6 (NM\_020168) Human Tagged ORF Clone Lentiviral Particle

#### **Product data:**

**Product Type:** Lentiviral Particles

Product Name: PAK6 (NM 020168) Human Tagged ORF Clone Lentiviral Particle

Symbol: PAK6
Synonyms: PAK5

Mammalian Cell Puromycin

Selection:

Vector:

pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

**ACCN:** NM\_020168 **ORF Size:** 2043 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC207438).

•

Sequence:

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 020168.3

 RefSeq Size:
 3950 bp

 RefSeq ORF:
 2046 bp

 Locus ID:
 56924

 UniProt ID:
 Q9NQU5

 Cytogenetics:
 15q15.1

**Domains:** PBD, pkinase, TyrKc, S\_TKc

**Protein Families:** Druggable Genome, Protein Kinase



## PAK6 (NM\_020168) Human Tagged ORF Clone Lentiviral Particle - RC207438L4V

**Protein Pathways:** Axon guidance, ErbB signaling pathway, Focal adhesion, Regulation of actin cytoskeleton,

Renal cell carcinoma, T cell receptor signaling pathway

**MW:** 74.9 kDa

**Gene Summary:** This gene encodes a member of a family of p21-stimulated serine/threonine protein kinases,

which contain an amino-terminal Cdc42/Rac interactive binding (CRIB) domain and a carboxyl-terminal kinase domain. These kinases function in a number of cellular processes, including cytoskeleton rearrangement, apoptosis, and the mitogen-activated protein (MAP) kinase signaling pathway. The protein encoded by this gene interacts with androgen receptor

(AR) and translocates to the nucleus, where it is involved in transcriptional regulation.

Changes in expression of this gene have been linked to prostate cancer. Alternative splicing

results in multiple transcript variants. [provided by RefSeq, Dec 2015]