

Product datasheet for RC207511L1

MBD2 (NM_003927) Human Tagged Lenti ORF Clone

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Expression Plasmids
Product Name:	MBD2 (NM_003927) Human Tagged Lenti ORF Clone
Tag:	Myc-DDK
Symbol:	MBD2
Synonyms:	DMTase; NY-CO-41
Mammalian Cell Selection:	None
Vector:	pLenti-C-Myc-DDK (PS100064)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC207511).
Restriction Sites:	Sgfl-Mlul
Cloning Scheme:	
0	Cloning sites used for ORF Shuttling:
	Sgf i ORF Miu i GCG ATC GC ATG// NNN ACG CGT ACG CGT

 $\begin{array}{c} \underline{Kozak} \\ \underline{Fcorr} \\ \underline{Fc$

* The last codon before the Stop codon of the ORF.

ACCN: ORF Size: NM_003927 1233 bp



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


GENE MBD2 (NM_003927) Human Tagged Lenti ORF Clone – RC207511L1	
OTI Disclaimer:	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <u>custsupport@origene.com</u> or by calling 301.340.3188 option 3 for pricing and delivery.
	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Me	 thod: 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM 003927.3</u>
RefSeq Size:	2584 bp
RefSeq ORF:	1236 bp
Locus ID:	8932
UniProt ID:	Q9UBB5
Cytogenetics:	18q21.2
Domains:	MBD
Protein Families:	Druggable Genome, Stem cell - Pluripotency, Transcription Factors
MW:	43.1 kDa

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Section 2012 CRIGENE MBD2 (NM_003927) Human Tagged Lenti ORF Clone – RC207511L1

Gene Summary:DNA methylation is the major modification of eukaryotic genomes and plays an essential role
in mammalian development. Human proteins MECP2, MBD1, MBD2, MBD3, and MBD4
comprise a family of nuclear proteins related by the presence in each of a methyl-CpG
binding domain (MBD). Each of these proteins, with the exception of MBD3, is capable of
binding specifically to methylated DNA. MECP2, MBD1 and MBD2 can also repress
transcription from methylated gene promoters. The protein encoded by this gene may
function as a mediator of the biological consequences of the methylation signal. It is also
reported that the this protein functions as a demethylase to activate transcription, as DNA
methylation causes gene silencing. Two transcript variants encoding different isoforms have
been found for this gene. [provided by RefSeq, Feb 2011]

Product images:



Circular map for RC207511L1

Double digestion of RC207511L1 using Sgfl and Mlul

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US