

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Product datasheet for RC207547L3V

## IKZF3 (NM\_012481) Human Tagged ORF Clone Lentiviral Particle

## **Product data:**

Product Type:	Lentiviral Particles
Product Name:	IKZF3 (NM_012481) Human Tagged ORF Clone Lentiviral Particle
Symbol:	IKZF3
Synonyms:	AIO; AIOLOS; ZNFN1A3
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_012481
ORF Size:	1527 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC207547).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 012481.3</u>
RefSeq Size:	9686 bp
RefSeq ORF:	1530 bp
Locus ID:	22806
UniProt ID:	<u>Q9UKT9</u>
Cytogenetics:	17q12-q21.1
MW:	58 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:This gene encodes a member of the Ikaros family of zinc-finger proteins. Three members of<br/>this protein family (Ikaros, Aiolos and Helios) are hematopoietic-specific transcription factors<br/>involved in the regulation of lymphocyte development. This gene product is a transcription<br/>factor that is important in the regulation of B lymphocyte proliferation and differentiation.<br/>Both Ikaros and Aiolos can participate in chromatin remodeling. Regulation of gene<br/>expression in B lymphocytes by Aiolos is complex as it appears to require the sequential<br/>formation of Ikaros homodimers, Ikaros/Aiolos heterodimers, and Aiolos homodimers.<br/>Several alternative transcripts encoding different isoforms have been described, as well as<br/>some non-protein coding variants. [provided by RefSeq, Apr 2012]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US