

# Product datasheet for RC207569L3V

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# **HOXA1 (NM 005522) Human Tagged ORF Clone Lentiviral Particle**

### **Product data:**

**Product Type:** Lentiviral Particles

**Product Name:** HOXA1 (NM\_005522) Human Tagged ORF Clone Lentiviral Particle

Symbol:

BSAS; HOX1; HOX1F Synonyms:

**Mammalian Cell** 

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Myc-DDK Tag: NM 005522 ACCN:

**ORF Size:** 1005 bp

**ORF Nucleotide** 

Sequence: OTI Disclaimer:

Cytogenetics:

The ORF insert of this clone is exactly the same as(RC207569).

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This

clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 005522.3

RefSeq Size: 2561 bp RefSeq ORF: 1008 bp Locus ID: 3198 **UniProt ID:** P49639

**Protein Families:** Druggable Genome, Transcription Factors

7p15.2

36.6 kDa MW:







### **Gene Summary:**

In vertebrates, the genes encoding the class of transcription factors called homeobox genes are found in clusters named A, B, C, and D on four separate chromosomes. Expression of these proteins is spatially and temporally regulated during embryonic development. This gene is part of the A cluster on chromosome 7 and encodes a DNA-binding transcription factor which may regulate gene expression, morphogenesis, and differentiation. The encoded protein may be involved in the placement of hindbrain segments in the proper location along the anterior-posterior axis during development. Two transcript variants encoding two different isoforms have been found for this gene, with only one of the isoforms containing the homeodomain region. [provided by RefSeq, Jul 2008]