

## Product datasheet for **RC207584**

### FGF11 (NM\_004112) Human Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** FGF11 (NM\_004112) Human Tagged ORF Clone  
**Tag:** Myc-DDK  
**Symbol:** FGF11  
**Synonyms:** FGF-11; FHF-3; FHF3  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**ORF Nucleotide Sequence:** >RC207584 representing NM\_004112  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGATCGCC**

ATGGCGGCGCTGGCCAGTAGCCTGATCCGGCAGAAGCGGGAGGTCCGCGAGCCCGGGGGCAGCCGGCCGG  
 TGTCGGCGCAGCGGCGCGTGTGTCCCGCGGCACCAAGTCCCTTTGCCAGAAGCAGCTCCTCATCCTGCT  
 GTCCAAGGTGCGACTGTGCGGGGGCGGCCCGCGCGCCGACCGCGGCCGGAGCCTCAGCTCAAAGGC  
 ATCGTCACCAAAGTGTCTGCCGCCAGGGTTTCTACCTCCAGGCGAATCCCGACGGAAGCATCCAGGGCA  
 CCCCAGAGGATACCAGCTCCTTCAACCTTCAACCTGATCCCTGTGGGCTCCGTGTGGTCACCATCCA  
 GAGCGCCAAGCTGGGTCCTACTACATGGCCATGAATGCTGAGGGACTGCTCTACAGTTCGCCGATTTCA  
 GCTGAGTGTGCTTTAAGGAGTGTGCTTTGAGAATTACTACGTCCTGTACGCCTCTGCTCTACCGCC  
 AGCGTCGTTCTGGCCGGGCTGGTACCTCGGCCTGGACAAGGAGGGCCAGGTCATGAAGGGAAACCGAGT  
 TAAGAAGACCAAGGCAGCTGCCCACTTTCTGCCAAGCTCCTGGAGGTGGCCATGTACCAGGAGCCTTCT  
 CTCACAGTGTCCCGAGGCCTCCCTTCCAGTCCCCCTGCCCC

**ACGCGT**ACGCGGGCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

**Protein Sequence:** >RC207584 representing NM\_004112  
Red=Cloning site Green=Tags(s)

MAALASSLIRQKREVREPGGSRPVSAQRRVCPRGKSLCQKQLLILL SKVRLCGGRPARPDRGPEPQLKG  
 IVTKLFCRQGFYLQANPDGSIQGTPEDTSSFTHFNLI PVGLRVVTIQSAKLGHYMAMNAEGLLYSSPHFT  
 AECRFKECVFENYYVL YASALYRQRRSGRAWYLGLDKEGQVMKGNRVKTKAAAHFLPKLLEVAMYQEPS  
 LHSVPEASPSSPPAP

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Chromatograms:** [https://cdn.origene.com/chromatograms/ja1446\\_d11.zip](https://cdn.origene.com/chromatograms/ja1446_d11.zip)

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**



**ACCN:** NM\_004112

**ORF Size:** 675 bp


**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.


**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_004112.4</a>
<b>RefSeq Size:</b>	2763 bp
<b>RefSeq ORF:</b>	678 bp
<b>Locus ID:</b>	2256
<b>UniProt ID:</b>	<a href="#">Q92914</a>
<b>Cytogenetics:</b>	17p13.1
<b>Domains:</b>	FGF
<b>Protein Families:</b>	Secreted Protein
<b>Protein Pathways:</b>	MAPK signaling pathway, Melanoma, Pathways in cancer, Regulation of actin cytoskeleton
<b>MW:</b>	24.8 kDa
<b>Gene Summary:</b>	<p>The protein encoded by this gene is a member of the fibroblast growth factor (FGF) family. FGF family members possess broad mitogenic and cell survival activities, and are involved in a variety of biological processes, including embryonic development, cell growth, morphogenesis, tissue repair, tumor growth and invasion. The function of this gene has not yet been determined. The expression pattern of the mouse homolog implies a role in nervous system development. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jan 2015]</p>

Product images:



Circular map for RC207584



Western blot validation of overexpression lysate (Cat# [LY418205]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC207584 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).