

Product datasheet for **RC207661**

RPS19BP1 (NM_194326) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: RPS19BP1 (NM_194326) Human Tagged ORF Clone
Tag: Myc-DDK
Symbol: RPS19BP1
Synonyms: AROS; S19BP
Mammalian Cell Selection: Neomycin
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
ORF Nucleotide Sequence: >RC207661 ORF sequence
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGTCGCGCCCTGCTGCGGGGGCCTGGAGCTGCTGGCGCGTCCGAGGCCCGGGACCCTCCAG
GTCAGGCCAAGCCGAGAGGGCTCCGGTAAACGGCCCCGAAGACGAAGCAATTCAGGCCAGAACT
GCGGAACCGCCAAGGAAAGGTGCCAAGTCCGCACTGGACGAGTACCGGAAGCGAGAGTGTGAGAC
CACCTCAGAGTAACTGAAGTTTCTGACCAGGACGAGAAGCACCGTGGCTGAGTCTGTGAGCCAGCAGA
TTTTGCGCCAGAACCGGGCCGCAAGGCCTGTGACCGCCTGTGGCCAAGACCAAGAAGAAGAAGGCTGA
GGCACCGTGTTACCGGGAAGACTTCCAGAAGTTCAGCAGGAATACTTCGGCAGC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC207661 protein sequence
 Red=Cloning site Green=Tags(s)

MSAALLRRGLELLAASEAPRPPGQAKPRGAPVKRPRKTKAIQAQKLNSAKGKVPKLSALDEYRKRECRD
HLRVNLFTRTRSTVAESVSQQLRQNRGRKACDRPVAKTKKKKAEGTVFTEEDFQKFQQEYFGS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6769_a02.zip

Restriction Sites: SgfI-MluI



[View online »](#)

Cloning Scheme:


ACCN: NM_194326

ORF Size: 408 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

- Reconstitution Method:**
1. Centrifuge at 5,000xg for 5min.
 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
 3. Close the tube and incubate for 10 minutes at room temperature.
 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_194326.4](#)

RefSeq Size: 952 bp


RefSeq ORF: 411 bp

Locus ID: 91582


UniProt ID: [Q86WX3](#)

Cytogenetics: 22q13.1
MW: 15.4 kDa
Gene Summary: Direct regulator of SIRT1. Enhances SIRT1-mediated deacetylation of p53/TP53, thereby participating in inhibition of p53/TP53-mediated transcriptional activity.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RC207661



Western blot validation of overexpression lysate (Cat# [LY405173]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC207661 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).