

## Product datasheet for RC207688L1V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## HB EGF (HBEGF) (NM 001945) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

Product Name: HB EGF (HBEGF) (NM\_001945) Human Tagged ORF Clone Lentiviral Particle

Symbol: HB EGF

Synonyms: DTR; DTS; DTSF; HEGFL

Mammalian Cell

Selection:

None

**Vector:** pLenti-C-Myc-DDK (PS100064)

Tag: Myc-DDK

**ACCN:** NM\_001945

ORF Size: 624 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC207688).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 001945.1</u>

 RefSeq Size:
 2381 bp

 RefSeq ORF:
 627 bp

 Locus ID:
 1839

 UniProt ID:
 Q99075

 Cytogenetics:
 5q31.3

Domains: EGF

**Protein Families:** Druggable Genome, Secreted Protein, Transmembrane





## HB EGF (HBEGF) (NM\_001945) Human Tagged ORF Clone Lentiviral Particle - RC207688L1V

**Protein Pathways:** Epithelial cell signaling in Helicobacter pylori infection, ErbB signaling pathway, GnRH

signaling pathway

MW: 23.1 kDa

**Gene Summary:** Growth factor that mediates its effects via EGFR, ERBB2 and ERBB4. Required for normal

cardiac valve formation and normal heart function. Promotes smooth muscle cell

proliferation. May be involved in macrophage-mediated cellular proliferation. It is mitogenic for fibroblasts, but not endothelial cells. It is able to bind EGF receptor/EGFR with higher affinity than EGF itself and is a far more potent mitogen for smooth muscle cells than EGF.

Also acts as a diphtheria toxin receptor.[UniProtKB/Swiss-Prot Function]