

## Product datasheet for RC207719L1V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## PCDHB15 (NM\_018935) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** PCDHB15 (NM\_018935) Human Tagged ORF Clone Lentiviral Particle

Symbol: PCDHB15

**Synonyms:** PCDH-BETA15

Mammalian Cell

Selection:

None

NM 018935

**Vector:** pLenti-C-Myc-DDK (PS100064)

Tag: Myc-DDK

ORF Size: 2361 bp

**ORF Nucleotide** 

ACCN:

The ODE

OTI Disclaimer:

Sequence:

The ORF insert of this clone is exactly the same as(RC207719).

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This

clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 018935.2

RefSeq Size: 2891 bp
RefSeq ORF: 2364 bp
Locus ID: 56121

UniProt ID: Q9Y5E8

Cytogenetics: 5q31.3

Domains: CA

**Protein Families:** Transmembrane





ORÏGENE

**MW:** 86.4 kDa

**Gene Summary:** 

This gene is a member of the protocadherin beta gene cluster, one of three related gene clusters tandemly linked on chromosome five. The gene clusters demonstrate an unusual genomic organization similar to that of B-cell and T-cell receptor gene clusters. The beta cluster contains 16 genes and 3 pseudogenes, each encoding 6 extracellular cadherin domains and a cytoplasmic tail that deviates from others in the cadherin superfamily. The extracellular domains interact in a homophilic manner to specify differential cell-cell connections. Unlike the alpha and gamma clusters, the transcripts from these genes are made up of only one large exon, not sharing common 3' exons as expected. These neural cadherin-like cell adhesion proteins are integral plasma membrane proteins. Their specific functions are unknown but they most likely play a critical role in the establishment and function of specific cell-cell neural connections. [provided by RefSeq, Jul 2008]