

Product datasheet for RC207768L1

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Interferon regulatory factor 9 (IRF9) (NM_006084) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Interferon regulatory factor 9 (IRF9) (NM_006084) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Interferon regulatory factor 9

Synonyms: IRF-9; ISGF3; ISGF3G; p48

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC207768).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_006084

ORF Size: 1179 bp



Interferon regulatory factor 9 (IRF9) (NM_006084) Human Tagged Lenti ORF Clone - RC207768L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 006084.4</u>

 RefSeq Size:
 1699 bp

 RefSeq ORF:
 1182 bp

 Locus ID:
 10379

 UniProt ID:
 Q00978

 Cytogenetics:
 14q12

Domains: IRF

Protein Families: Druggable Genome, Transcription Factors

Protein Pathways: Jak-STAT signaling pathway

MW: 43.7 kDa


Gene Summary: This gene encodes a member of the interferon regulatory factor (IRF) family, a group of

transcription factors with diverse roles, including virus-mediated activation of interferon, and modulation of cell growth, differentiation, apoptosis, and immune system activity. Members of the IRF family are characterized by a conserved N-terminal DNA-binding domain containing tryptophan (W) repeats. Mutations in this gene result in Immunodeficiency 65. [provided by


RefSeq, Jul 2020]



Product images:



Circular map for RC207768L1



Double digestion of RC207768L1 using Sgfl and Mlul