

Product datasheet for RC207887

NOMO3 (NM_001004067) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	NOMO3 (NM_001004067) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	NOMO3
Synonyms:	Nomo
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC207887 representing NM_001004067 Red=Cloning site Blue=ORF Green=Tags(s)

TTTGTAAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCCGCGATCGCC

ATGCTGGTGGGCCAGGGCGCGGGCTGCTGGGGCCCGGGTGGTCACCGCCGCGGTGGTCTGCTGCTGA
 GCGGCGTGGGGCCGGCGCACGGCTCGGAGGACATCGTGGTGGGCTGCGGTGGCTTCGTCAGTCGGACGT
 GGAGATCAACTACTCGCTCATCGAGATAAAGCTGTACCAAGCATGGGACTTTGAAATACCAGACAGAC
 TGTGCCCTAATAATGGTTACTTTATGATCCCTTTGTATGATAAGGGGGATTTCTTCTGAAGATTGAGC
 CTCCTAGGGTGGAGTTTGTAGCCGACGACCGTGGAGTCCATGTGGATGGAGTCAGTGACATCTGCAC
 AAAGGGTGGGGACATCAACTTTGTCTTCACTGGGTCTCTGTGAATGGCAAGGTCCTCAGCAAAGGGCAG
 CCCCTGGGTCTGCGGGAGTTTCAGGTGTCTCTGAGAAACACTGGGACCGAAGCAAAGATCCAGTCCACAG
 TTACACAGCCTGGCGGAAAGTTTGCATTTTTTAAAGTTCTGCCTGGAGATTATGAAATCCTCGCAACTCA
 TCCAACCTGGGCGTTGAAAGAGGCAAGCACCACAGTGCCTGTAACCAACTCCAATGCCAATGCGGCCAGT
 CCCCTCATAGTTGCTGGCTACAATGTGTCTGGCTCTGTCCGAAGTGATGGGGAGCCCATGAAAGGGTGA
 AGTTTCTTCTCTTTCTTCTTTAGTAACTAAAGAGGATGTCCTGGGCTGCAATGTCTCACCAGTGCCTGG
 GTTCCAGCCCCAAGACGAGAGTCTGGTGTATTTGTGCTACACGGTCTCCAGAGAAGATGGCTCGTTCTCT
 TTCTATTCCTTGCCAAGTGGGGCTACACTGTGATTCGGTCTATCGAGGGGAGAGGATTACCTTTGATG
 TGGCGCCTTCCAGACTTGACTTCACAGTGGAGCATGACAGCTTGAAATCGAGCCCGTGTCCACGTCAT
 GGGATTCTCCGTACCGGGAGGGTCTTGAACGGACCCGAAGGAGATGGTGTCCAGAAGCAGTAGTCACC
 CTGAATAACCAAAATCAAAGTTAAAAACAAAGCTGATGGCTCATTCCGCCTTGAGAACATAACCACAGGGA
 CATACACCATCCATGCTCAGAAAGAGCACCTCTACTTTGAAACGGTCACCATCAAATTCACCGAACAC
 ACCTCAGCTGGCTGACATTGTTGCAACAGGGTTTCAGTGTCTGTGGTGGATATCAATCATTCGTTCCCG
 GACACCGTCAAGCAGATGAATAAATACAAAGTTGCTGTCTCAAGACAAGGACAAGCTTTGGTCA
 CCGTGGAGACAGATGCTCATGGATCATTTTGTTTTAAAGCAAAACAGGGAAGTACAAAGTGCAGGTGAT
 GGTTCCTGAGGCAGAAACCAGAGCAGGGCTGACGTTGAAACCCAGACATTTCTCTTACTGTGACCGAC


[View online »](#)

AGGCCCGTGATGGATGTGGCCTTTGTACAGTTCTTGGCATCAGTTTCTGGGAAAGTCTCTGTTTGGACA
 CCTGTGGTGACTTGCTGGTGACTCTACAGTCCCTGAGCCGCCAGGGTGAGAAGCGGAGCCTCCAGCTCTC
 CGGCAAGGTCAACGCCATGACTTTACCTTTGACAACGTGCTCCCTGGAAAAACAAAATAAGCATCATG
 CATGAGGATTGGTGCTGGAAGAACAGAGCCTGGAGGTGGAAGTCTGGAGGATGACGTGTCTGCAGTTG
 AGTTCAGGCAGACGGGCTACATGCTGAGATGTTCCCTGTCTACGCCATCACTCTGGAATTTTATCAGGA
 TGGAAATGGGCGTGAGAATGTGGGATTATAACCTCTCCAAAGGAGTCAACCGATTCTGCCTGTCCAAG
 CCTGGTGTGTACAAAGTGACCCCTCGCTCCTGCCACCGTTTGAGCAAGCGTTCTACACCTATGACACGT
 CTTACCTAGTATCTTGACATTGACAGCCATTGCCACCATGTCTTGGAACTATCACCACCGACAAAAT
 GATGGATGTCACTGTGACTATCAAGTCTTCCATCGACAGTGAACCCGCCTTGGTCTTAGGCCCTCTGAAG
 TCTGTGCAGGAGCTGCGGAGGGAGCAGAGCTGGCTGAGATCGAGGCCCGCAGGCAGGAGAGGGAGAAAA
 ACGGCAATGAGGAAGGTGAAGAAAGATGACCAAGCCTCCCGTGCAGGAGATGGTAGATGAGTTACAAGG
 CCCCTTCTCGTATGATTCTCTTACTGGGCGGGTCTGGAGAGAAAACTACTGTTACACCGTCATCTAAA
 GAGCTGCTCTTTATCCCCCTTCAATGGAAGCCGTTGTAGTGGAGAAAGCTGCCAGGGAAGCTGATCG
 AGATCCACGGGAAGGCAGGCCTGTTTTAGAAAGCCAGATCCACCCGAGTTGGAAGGAGTCGAGATTGT
 CATCAGTGAAGGGGGCAAGTTCACCGCTGATCAGAGTCTTACTGATGACAAAGGTGCCTACAGTGTT
 GGCCCCCTGCACAGTGACCTGGAGTACACGGTGACCTCACAGAAGGAGGGCTATGTTCTGACTGCAGTGG
 AAGGAACCATCGGAGACTTCAAGGCCTATGCCCTGGCAGGCGTAAGCTTTGAGATAAAAGCTGAGGATGA
 CCAGCCCCCTCCCGGAGTCTCTTATCCCTGAGTGGTGGCCTGTTTCGTTCCAACCTCTTGACCCAGGAC
 AACGGCATTCTGACATTCTAAACCTGAGCCCTGGCCAGTATTACTTCAAACCATGATGAAGGAGTTCC
 GGTTTGAGCCATCCTCACAGATGATCGAGGTGCAGGAAGGCCAGAACCTGAAGATCACCATCACGGGGTA
 CCGAACCGCTTACAGTTGCTATGGCACAGTGTCTTCTTAAACGGAGAGCCCGAACAAAGGGGTGCCATG
 GAAGCGGTGGGCCAGAACGACTGCAGCATTACGGAGAAGACACCGTGACAGACGAAGAGGGCAAGTTCA
 GATTACGTGGATTGCTGCCGGGATGTGTGTACCAGTTCAGTCAAGGCAGAAGGCAACGACACATTGA
 GCGGGCGCTCCCCACCATAGGGTGATTGAGGTTGGGAATAATGACATCGATGATGTAAACATCATAGTT
 TTCCGGCAGATTAATCAATTTGATTTAAGTGGAATGTGATCACTTCTCTGAATACCTTCTACGTTAT
 GGGTCAAGCTTTACAAAAGCGAAACCTCGACAATCCAATCCAGACAGTTTCCCTTGGCCAGTCCCTGTT
 CTTCCATTTCCCCCACTGCTCAGAGATGGCGAGAACTATGTTGTGCTTCTGGACTCCACACTCCCCAGA
 TCCAGTATGACTACATCTTGCCTCAAGTTTCTTTCACCGCAGTGGGCTACCATAAACACATCACCTTGA
 TTTTAAATCCACGAGGAAGCTGCCTGAACAGGACATCGACAAGGATCCTACATTGCCCTGCCATTGAC
 GCTGCTGGTTCTGCTGGCCGTTACAACCATGACAAGCTATTCTTTGCTGCTGCAGTTGACAAGCCGG
 CTACAGGGAGTCGGCGCGCTCGGCCAGGCAGCCTCTGACAATAGCGGCCCGAGAAGATGCAAAGAGACAAG
 CCAAGAAACAGAAACAAGGCGGACG

ACGCGTACGCGGCGGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC207887 representing NM_001004067
 Red=Cloning site Green=Tags(s)


MLVGQGAGLLGPAVVTAAVVLLLSGVGPAHGSEDIIVGCGGFVKSDVEINYSLEIKLYTKHGTLKYQTD
 CAPNNGYFMIPLYDKGDFILKIEPPLGWSFEPTTVELHVDGVSDICTKGGDINFVFTGFSVNGKVL SKGQ
 PLGPAGVQVSLRNTGTEAKIQSTVTQPGGKFAFFKVLPGDYEILATHPTWALKEASTTVRVTSNANAAS
 PLIVAGYVNSGVSRSDEGPMKGVKFLFSSLVTKEDVLCNVSPVPGFQPQDESLVYLCYTVSREDGSFS
 FYSLPSGGYTVIPFYRGERITFDVAPSRLDFTVEHDSLKIEPVFHVGMGFSVTGRVLNNGPEGDGVPEAVVT
 LNNQIKVKTADGSFRLENITTGTytiHAQKEHLYFETVTIKIAPNTPQLADIVATGFSVCGRISIRFP
 DTVKQMNKYKVVLSQDKDKSLVTVETDAHGSFCFAKPGTYKVQVMVPEAETRAGLTLKPQTFPLTVTD
 RPVMDVAFVQFLASVSGKVSCLDTCGDLVLTLQSLSRQGEKRSLLSGKVNAMTFTFDNVLPGKYKISIM
 HEDWCWNKNSLEVEVLEDDVSAVEFRQTGYMLRCSL SHAITLEFYQDNGRENVGIYNLSKGVNRFCLSK
 PGVYKVTPRSCHRFEQAFYTYDTSPTSILTLTAIRHHVLGTITTDKMDVTVTIKSSIDSEPALVLGPLK
 SVQELRREQQLAEIEARRQEREKNGNEEGEERMTKPPVQEMVDELQGPFSYDFS YWARSGEKITVTPSSK
 ELLFYPPSMEAVVSGESCPGKLEIHHGAGLFLEGGIHPLEGEVIVISEKGASSPLITVFTDDKGAYSV
 GPLHSDLEYTVTSQKEGYVLTAVEGTIGDFKAYALAGVSFEIKAEDDQPLPGVLLSLSGGLFRSNLLTQD
 NGILTFSNLSPGQYYFKPMMKEFRFEPSSQMIEVQEGQNLKITITGYRTAYSCYGTVSSLNGEPEQGVAM
 EAVGQNDCSIYGEDTVDDEEGFRRLRGLLP GCYVHVQLKAEGNDHIERALPHHRVIEVGNNIDDDVNIIV
 FRQINQFDLSGNVITSSEYLP TLWVKLYKSENLDNPIQTVSLGQSLFFHFPLLRDGENYVVLDDSTLPR
 SQDYIILPQVSFTAVGYHKHITLIFNPTRKLPEQDIAQGSYIALPLTLLVLLAGYNHDKLIPLLQLTSR
 LQGVGALGQAASDNSGPEDAKRQAKKQKTRRT

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mg3973_a09.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:




ACCN: NM_001004067


ORF Size: 3666 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_001004067.4
RefSeq Size:	4273 bp
RefSeq ORF:	3669 bp
Locus ID:	408050
UniProt ID:	P69849
Cytogenetics:	16p13.11
MW:	134 kDa
Gene Summary:	This gene encodes a protein originally thought to be related to the collagenase gene family. This gene is one of three highly similar genes in a duplicated region on the short arm of chromosome 16. These three genes encode closely related proteins that may have the same function. The protein encoded by one of these genes has been identified as part of a protein complex that participates in the Nodal signaling pathway during vertebrate development. Mutations in ABCC6, which is located nearby, rather than mutations in this gene are associated with pseudoxanthoma elasticum. [provided by RefSeq, Jul 2008]


Product images:



Circular map for RC207887



Western blot validation of overexpression lysate (Cat# [LY424062]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC207887 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified NOMO3 protein (Cat# [TP307887]). The protein was produced from HEK293T cells transfected with NOMO3 cDNA clone (Cat# RC207887) using MegaTran 2.0 (Cat# [TT210002]).