

Product datasheet for RC207905L2

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

alpha 2 Macroglobulin (A2M) (NM_000014) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: alpha 2 Macroglobulin (A2M) (NM_000014) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: alpha 2 Macroglobulin

Synonyms: A2MD; CPAMD5; FWP007; S863-7

Mammalian Cell None

Selection:

Vector:pLenti-C-mGFP (PS100071)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC207905).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_000014

ORF Size: 4422 bp



alpha 2 Macroglobulin (A2M) (NM_000014) Human Tagged Lenti ORF Clone - RC207905L2

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 000014.4</u>

RefSeq Size: 4678 bp RefSeq ORF: 4425 bp

Locus ID: 2

 UniProt ID:
 P01023

 Cytogenetics:
 12p13.31

Domains: A2M, A2M_N

Protein Families: Druggable Genome, Secreted Protein

Protein Pathways: Complement and coagulation cascades

MW: 163.3 kDa

Gene Summary: The protein encoded by this gene is a protease inhibitor and cytokine transporter. It uses a


bait-and-trap mechanism to inhibit a broad spectrum of proteases, including trypsin, thrombin and collagenase. It can also inhibit inflammatory cytokines, and it thus disrupts inflammatory cascades. Mutations in this gene are a cause of alpha-2-macroglobulin

deficiency. This gene is implicated in Alzheimer's disease (AD) due to its ability to mediate the clearance and degradation of A-beta, the major component of beta-amyloid deposits. A related pseudogene, which is also located on the p arm of chromosome 12, has been

identified. [provided by RefSeq, Nov 2016]



Product images:



Circular map for RC207905L2