

Product datasheet for RC207911

SEPP1 (SELENOP) (NM 005410) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: SEPP1 (SELENOP) (NM_005410) Human Tagged ORF Clone

Symbol: SEPP

Synonyms: SELP; SeP; SEPP; SEPP1

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)ORF Nucleotide>RC207911 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGTGGAGAAGCCTGGGGCTTGCCCTGGCTCTCTCTCCCCATCGGGAGGAACAGAGACCAGGACC AAAGCTCCTTATGTAAGCAACCCCCAGCCTGGAGCATAAGAGATCAAGATCCAATGCTAAACTCCAATGG TTCAGTGACTGTGGTTGCTCTTCTTCAAGCCAGCTGATACCTGTGCATACTGCAGGCATCTAAATTAGAA GACCTGCGAGTAAAACTGAAGAAGAAGGATATTCTAATATTTCTTATATTGTTGTTAATCATCAAGGAA TCTCTTCTCGATTAAAATACACACATCTTAAGAATAAGGTTTCAGAGCATATTCCTGTTTTATCAACAAGA AGAAAACCAAACAGATGTCTGGACTCTTTTAAATGGAAGCAAAGATGACTTCCTCATATATGATAGATGT AGATTGCTTACTGTGAAAAGAAATGTGGAAACTGCTCTCTCACGACTCTCAAAGATGAAGACTTTTGTAA ACGTGTATCTTTGGCTACTGTGGATAAAACAGTTGAAACTCCATCGCCTCATTACCATCATGAGCATCAT CACAATCATGGACATCAGCACCTTGGCAGCAGTGAGCTTTCAGAGAATCAGCAACCAGGAGCACCAAATG CTCCTACTCATCCTGCTCCTCCAGGCCTTCATCACCACCATAAGCACAAGGGTCAGCATAGGCAGGGTCA CCCAGAGAACCGAGATATGCCAGCAAGTGAAGATTTACAAGATTTACAAAAGAAGCTCTGTCGAAAGAA TGTATAAATCAATTACTCTGTAAATTGCCCACAGATTCAGAGTTGGCTCCTAGGAGCTGATGCTGCCATT GTCGACATCTGATATTTGAAAAAACAGGGTCTGCAATCACCTGACAGTGTAAAGAAAACCTCCCATCTTT ATGTAGCTGACAGGGACTTCGGGCAGAGGAGAACATAACTGAATCTTGTCAGTGACGTTTGCCTCCAGCT GCCTGACAATAAGTCAGCAGCTTATACCCACAGAAGCCAGTGCCAGTTGACGCTGAAAGAATCAGGCAA AAAAGTGAGAATGACCTTCAAAC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATTACAAGGATGACGACGATAAGGTTTAA



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Protein Sequence: >RC207911 protein sequence

Red=Cloning site Green=Tags(s)

MWRSLGLALALCLLPSGGTESQDQSSLCKQPPAWSIRDQDPMLNSNGSVTVVALLQAS*YLCILQASKLE DLRVKLKKEGYSNISYIVVNHQGISSRLKYTHLKNKVSEHIPVYQQEENQTDVWTLLNGSKDDFLIYDRC GRLVYHLGLPFSFLTFPYVEEAIKIAYCEKKCGNCSLTTLKDEDFCKRVSLATVDKTVETPSPHYHHEHH HNHGHQHLGSSELSENQQPGAPNAPTHPAPPGLHHHHKHKGQHRQGHPENRDMPASEDLQDLQKKLCRKR CINQLLCKLPTDSELAPRS*CCHCRHLIFEKTGSAIT*QCKENLPSLCS*QGLRAEENITESCQ*RLPPA A*QISQQLIPTEASAS*R*KNQAKK*E*PSN


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6088 e08.zip

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM 005410

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info The expression of this clone is not

guaranteed due to the nature of selenoproteins.

OTI Annotation: This clone encodes a selenoprotein containing the rare amino acid selenocysteine (Sec). Sec is

encoded by UGA codon, which normally signals translational termination. Expression of this

clone is not guaranteed due to the nature of selenoproteins.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 005410.4</u>

 RefSeq Size:
 2164 bp

 RefSeq ORF:
 1146 bp

 Locus ID:
 6414

 UniProt ID:
 P49908

 Cytogenetics:
 5p12

Protein Families: Secreted Protein

Gene Summary: This gene encodes a selenoprotein that is predominantly expressed in the liver and secreted

into the plasma. This selenoprotein is unique in that it contains multiple selenocysteine (Sec) residues per polypeptide (10 in human), and accounts for most of the selenium in plasma. It has been implicated as an extracellular antioxidant, and in the transport of selenium to extrahepatic tissues via apolipoprotein E receptor-2 (apoER2). Mice lacking this gene exhibit

neurological dysfunction, suggesting its importance in normal brain function. Sec is encoded


by the UGA codon, which normally signals translation termination. The 3' UTRs of

selenoprotein mRNAs contain a conserved stem-loop structure, designated the Sec insertion sequence (SECIS) element, that is necessary for the recognition of UGA as a Sec codon, rather than as a stop signal. The mRNA for this selenoprotein contains two SECIS elements. The use of alternative polyadenylation sites, one located in between the two SECIS elements, results in two populations of mRNAs containing either both (predominant) or just the upstream SECIS element (PMID:27881738). Alternatively spliced transcript variants have also been found for

this gene. [provided by RefSeq, Oct 2018]



Product images:



Circular map for RC207911