

## Product datasheet for RC207917L4V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Tripeptidyl peptidase II (TPP2) (NM\_003291) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

Product Type: Lentiviral Particles

Product Name: Tripeptidyl peptidase II (TPP2) (NM 003291) Human Tagged ORF Clone Lentiviral Particle

Symbol: Tripeptidyl peptidase II

Synonyms: IMD78; TPP-2; TPP-II; TPPII

**Mammalian Cell** 

Selection:

Puromycin

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

**ACCN:** NM\_003291 **ORF Size:** 3747 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC207917).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 003291.1

 RefSeq Size:
 4716 bp

 RefSeq ORF:
 3750 bp

 Locus ID:
 7174

 UniProt ID:
 P29144

 Cytogenetics:
 13q33.1

**Domains:** Peptidase\_S8

**Protein Families:** Druggable Genome, Protease





## Tripeptidyl peptidase II (TPP2) (NM\_003291) Human Tagged ORF Clone Lentiviral Particle – RC207917L4V

MW: 138.3 kDa

**Gene Summary:** This gene encodes a mammalian peptidase that, at neutral pH, removes tripeptides from the

N terminus of longer peptides. The protein has a specialized function that is essential for some MHC class I antigen presentation. The protein is a high molecular mass serine exopeptidase; the amino acid sequence surrounding the serine residue at the active site is similar to the peptidases of the subtilisin class rather than the trypsin class. [provided by

RefSeq, Jul 2008]