

Product datasheet for RC207930L2

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

BCAR3 (NM_003567) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: BCAR3 (NM_003567) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: BCAR3

Synonyms: AND-34; MIG7; NSP2; SH2D3B

Mammalian Cell None

Selection:

Vector: pLenti-C-mGFP (PS100071)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC207930).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_003567

ORF Size: 2475 bp



BCAR3 (NM_003567) Human Tagged Lenti ORF Clone - RC207930L2

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 003567.2</u>

RefSeq Size:3203 bpRefSeq ORF:2478 bpLocus ID:8412

 UniProt ID:
 O75815

 Cytogenetics:
 1p22.1

Domains: SH2, RasGEF

Protein Families: Druggable Genome

MW: 92.6 kDa

Gene Summary: Breast tumors are initially dependent on estrogens for growth and progression and can be

inhibited by anti-estrogens such as tamoxifen. However, breast cancers progress to become anti-estrogen resistant. Breast cancer anti-estrogen resistance gene 3 was identified in the search for genes involved in the development of estrogen resistance. The gene encodes a


component of intracellular signal transduction that causes estrogen-independent

proliferation in human breast cancer cells. The protein contains a putative src homology 2 (SH2) domain, a hall mark of cellular tyrosine kinase signaling molecules, and is partly homologous to the cell division cycle protein CDC48. Multiple transcript variants encoding

different isoforms have been found for this gene. [provided by RefSeq, May 2012]



Product images:



Circular map for RC207930L2