

Product datasheet for RC207952L1

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436

OriGene Technologies, Inc.

Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PTPN12 (NM_002835) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: PTPN12 (NM 002835) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: PTPN12

Synonyms: PTP-PEST; PTPG1

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC207952).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_002835

ORF Size: 2340 bp





PTPN12 (NM_002835) Human Tagged Lenti ORF Clone - RC207952L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 002835.2</u>, <u>NP 002826.2</u>

 RefSeq Size:
 3240 bp

 RefSeq ORF:
 2343 bp

 Locus ID:
 5782

 UniProt ID:
 005209

Cytogenetics:

Domains: Y_phosphatase, PTPc_motif

Protein Families: Druggable Genome, Phosphatase

7q11.23

MW: 88.1 kDa


Gene Summary: The protein encoded by this gene is a member of the protein tyrosine phosphatase (PTP)

family. PTPs are signaling molecules that regulate a variety of cellular processes including cell growth, differentiation, mitotic cycle, and oncogenic transformation. This PTP contains a C-terminal PEST motif, which serves as a protein-protein interaction domain, and may regulate protein intracellular half-life. This PTP was found to bind and dephosphorylate the product of the oncogene c-ABL and thus may play a role in oncogenesis. This PTP was also shown to interact with, and dephosphorylate, various products related to cytoskeletal structure and cell adhesion, such as p130 (Cas), CAKbeta/PTK2B, PSTPIP1, and paxillin. This suggests it has a regulatory role in controlling cell shape and mobility. Alternative splicing results in multiple


transcript variants encoding distinct isoforms. [provided by RefSeq, Oct 2008]



Product images:



Circular map for RC207952L1



Double digestion of RC207952L1 using Sgfl and Mlul