

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for RC207966L1V

### p75 NGF Receptor (NGFR) (NM\_002507) Human Tagged ORF Clone Lentiviral Particle

#### **Product data:**


Product Type:	Lentiviral Particles
Product Name:	p75 NGF Receptor (NGFR) (NM_002507) Human Tagged ORF Clone Lentiviral Particle
Symbol:	p75 NGF Receptor
Synonyms:	CD271; Gp80-LNGFR; p75(NTR); p75NTR; TNFRSF16
Mammalian Cell Selection:	None
Vector:	pLenti-C-Myc-DDK (PS100064)
Tag:	Myc-DDK
ACCN:	NM_002507
ORF Size:	1281 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC207966).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 002507.1</u>
RefSeq Size:	3420 bp
RefSeq ORF:	1284 bp
Locus ID:	4804
UniProt ID:	<u>P08138</u>
Cytogenetics:	17q21.33
Protein Families:	Druggable Genome, Transmembrane
Protein Pathways:	Cytokine-cytokine receptor interaction, Neurotrophin signaling pathway



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

P75 NGF Receptor (NGFR) (NM_002507) Human Tagged ORF Clone Lentiviral Particle – RC207966L1V	
MW:	45.2 kDa
Gene Summary:	Nerve growth factor receptor contains an extracellular domain containing four 40-amino acid repeats with 6 cysteine residues at conserved positions followed by a serine/threonine-rich region, a single transmembrane domain, and a 155-amino acid cytoplasmic domain. The cysteine-rich region contains the nerve growth factor binding domain. [provided by RefSeq, Jul 2008]

## **Product images:**



[RC207966L1] was used to prepare Lentiviral particles using [TR30037] packaging kit. HEK293T cells were transduced with RC207966L1V particle to overexpress human NGFR-Myc-DDK fusion protein.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US