

Product datasheet for RC207970L1

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Pirh2 (RCHY1) (NM 015436) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Pirh2 (RCHY1) (NM_015436) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Pirh2

Synonyms: ARNIP; CHIMP; PIRH2; PRO1996; RNF199; ZCHY; ZNF363

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC207970).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_015436

ORF Size: 783 bp





Pirh2 (RCHY1) (NM_015436) Human Tagged Lenti ORF Clone - RC207970L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 015436.2</u>

 RefSeq Size:
 4447 bp

 RefSeq ORF:
 786 bp

 Locus ID:
 25898

 UniProt ID:
 Q96PM5

Cytogenetics: 4q21.1

Domains: RING

Protein Families: Druggable Genome, Stem cell - Pluripotency

Protein Pathways: p53 signaling pathway, Ubiquitin mediated proteolysis

MW: 30.1 kDa

Gene Summary: The protein encoded by this gene has ubiquitin ligase activity. It mediates E3-dependent


ubiquitination and proteasomal degradation of target proteins, including tumor protein 53, histone deacetylase 1, and cyclin-dependent kinase inhibitor 1B, thus regulating their levels

and cell cycle progression. Alternatively spliced transcript variants encoding different


isoforms have been described for this gene. [provided by RefSeq, Jun 2013]



Product images:



Circular map for RC207970L1



Double digestion of RC207970L1 using Sgfl and Mlul $\,$