

# Product datasheet for RC208033L1


## GAA (NM\_001079804) Human Tagged Lenti ORF Clone

#### **Product data:**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

| Expression Plasmids   |
|---|
| GAA (NM_001079804) Human Tagged Lenti ORF Clone   |
| Myc-DDK   |
| GAA   |
| LYAG  |
| None  |
| pLenti-C-Myc-DDK (PS100064)   |
| Chloramphenicol (34 ug/mL)  |
| The ORF insert of this clone is exactly the same as(RC208033).                          |
| Sgfl-Mlul   |
|   |
| Cloning sites used for ORF Shuttling:   |
| Sgf I         ORF         Mlu I           GCG ATC GC         ATG // NNÑ         ACG CGT |
|   |



\* The last codon before the Stop codon of the ORF.

ACCN: ORF Size: NM\_001079804 2856 bp




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


|                        | IM_001079804) Human Tagged Lenti ORF Clone – RC208033L1  |
|------------------------|--|
| OTI Disclaimer:        | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>  |
| OTI Annotation:        | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.   |
| Components:            | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).   |
| Reconstitution Method: | <ol> <li>Centrifuge at 5,000xg for 5min.</li> <li>Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>Close the tube and incubate for 10 minutes at room temperature.</li> <li>Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>   |
| RefSeq:                | <u>NM 001079804.1</u>  |
| RefSeq Size:           | 3517 bp  |
| RefSeq ORF:            | 2859 bp  |
| Locus ID:              | 2548   |
| UniProt ID:            | <u>P10253</u>  |
| Cytogenetics:          | 17q25.3  |
| Protein Families:      | Druggable Genome, Transmembrane  |
| Protein Pathways:      | Galactose metabolism, Lysosome, Metabolic pathways, Starch and sucrose metabolism  |
| MW:                    | 105.3 kDa  |
| Gene Summary:          | This gene encodes lysosomal alpha-glucosidase, which is essential for the degradation of glycogen to glucose in lysosomes. The encoded preproprotein is proteolytically processed to generate multiple intermediate forms and the mature form of the enzyme. Defects in this gene are the cause of glycogen storage disease II, also known as Pompe's disease, which is an autosomal recessive disorder with a broad clinical spectrum. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jan 2016] |

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

## **Product images:**



Circular map for RC208033L1



Double digestion of RC208033L1 using SgfI-MluI

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US