

Product datasheet for **RC208091**

TIAF1 (NM_004740) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: TIAF1 (NM_004740) Human Tagged ORF Clone
Tag: Myc-DDK
Symbol: TIAF1
Synonyms: MAJN; SPR210
Mammalian Cell Selection: Neomycin
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
ORF Nucleotide Sequence: >RC208091 representing NM_004740
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGTCATCTCCATCTTCACCCCTCAGAGAGCAGTCCTTTCTCTGTGCAGCTGGAGACGCTGGTGAGGAGA
GCCGGTCCAGGTTCTTAAGAATGAGGTGCGGAGGGCTCTCCGGTGTCTGGGCTGGGTTGAGCAAGC
CTACGCAGACAAGTGTGTGTGGACCATCCGCACCTCCAGCCCCACCCACCCTTTGTCTCAGCGT
GTTATGTGCAATGACCTATTTAAGGTAACCCATTCCAACACAGCAGTTCAGGGCTGATCCAAGCACTG
CCTCCCTCTGCTGTCCAGGTGGTCTGGACCATAAACTCAACTTGAGAGGGAAGGCTTGGGGT

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC208091 representing NM_004740
Red=Cloning site Green=Tags(s)
MSSPSSPFREQSFLCAAGDAGEESRVQLKNEVRRGSPVLLGWVEQAYADKCVCGPSAPPAPTTPPSLSQR
VMCNDLKFVNPFQLQQFRADPSTASLLLCPPGLDHKLNLRGKAWG

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mg3302_g01.zip

Restriction Sites: Sgfl-Mlul



[View online »](#)

Cloning Scheme:


ACCN: NM_004740

ORF Size: 345 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

- Reconstitution Method:**
1. Centrifuge at 5,000xg for 5min.
 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
 3. Close the tube and incubate for 10 minutes at room temperature.
 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_004740.3](#), [NP_004731.2](#)


RefSeq Size: 2110 bp

RefSeq ORF: 348 bp


Locus ID: 9220

UniProt ID: [O95411](#)
Cytogenetics: 17q11.2
Protein Families: Druggable Genome
MW: 12.4 kDa
Gene Summary: Inhibits the cytotoxic effects of TNF-alpha and overexpressed TNF receptor adapters TRADD, FADD, and RIPK1. Involved in TGF-beta1 inhibition of IkappaB-alpha expression and suppression of TNF-mediated IkappaB-alpha degradation.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RC208091



Western blot validation of overexpression lysate (Cat# [LY417760]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC208091 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).