

## Product datasheet for **RC208128**

### **HMGCS2 (NM\_005518) Human Tagged ORF Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	HMGCS2 (NM_005518) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	HMGCS2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide Sequence:**

>RC208128 ORF sequence  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGCATCGCC**

ATGCACGCTCTGTTGACTCCAGTGAAGCGCATTCTGCAACTGACAAGAGCGGTGCAGGAAACCTCCCTCA  
 CACCTGCTCGCCTGCTCCAGTAGCCACCAAAGGTTTTCTACAGCCTCTGCTGTCCCCCTGGCCAAAAC  
 AGATACTTGCCAAAGGACGTGGGCATCCTGGCCCTGGAGGTCTACTTCCCAGCCCAATATGTGGACCAA  
 ACTGACCTGGAGAAGTATAACAATGTGGAAGCAGGAAAGTATACAGTGGGCTTGGCCAGACCCGTATGG  
 GCTTCTGCTCAGTCCAAGAGGACATCAACTCCCTGTGCCTGACGGTGGTGAACGGCTGATGGAGCGCAT  
 ACAGCTCCCATGGGACTCTGTGGCAGGCTGGAAGTAGGCACTGAGACCATATTGACAAGTCCAAAGCT  
 GTCAAAACAGTGTCTATGGAACCTTCCAGGATTCAGGCAATACTGATATTGAGGGCATAGATACCACCA  
 ATGCCTGTACGGTGGTACTGCCTCCCTCTTCAATGCTGCCAACTGGATGGAGTCCAGTTCCTGGGATGG  
 TCGTTATGCCATGGTGGTCTGTGGAGACATTGCCGTCTATCCCAGTGGTAAATGCTCGTCCCACAGTGGG  
 GCCGGAGCTGTGGCTATGCTGATTGGGCCAAAGGCCCTCTGGCCCTGGAGCGAGGGCTGAGGGGAACCC  
 ATATGGAGAATGTGTATGACTTCTACAAACCAATTTGGCCTCGGAGTACCCAATAGTGGATGGGAGCT  
 TTCCATCCAGTGTACTTTCGGGGCTTGGATCGATGTTACACATCATACCGTAAAAAAATCCAGAATCAG  
 TGGAAAGCAAGCTGGCAGCGATCGACCCTTACCCTTGACGATTTACAGTACATGATCTTTCATACACCTT  
 TTTGCAAGATGGTCCAGAAGTCTCTGGCTCGCCTGATGTTCAATGACTTCTGTGACCCAGCAGTGCAC  
 ACAAACAGCTTATATAAGGGGCTGGAGGCTTTCGGGGGGCTAAAGCTGGAAGACACCTACACCAACAAG  
 GACCTGGATAAAGCACTTCTAAAGGCCTCTCAGGACATGTTGACAAGAAAACCAAGGCTTCCCTTTACC  
 TCTCCACTCACAAATGGGAACATGTACACCTCATCCCTGTACGGGTGCCTGGCCTCGCTTCTGTCCCACCA  
 CTCTGCCAAGAAGTGGCTGGCTCCAGGATTGGTGCCTTCTCTTATGGCTCTGGTTTAGCAGCAAGTTTC  
 TTTTCATTTTCGAGTATCCAGGATGCTGCTCCAGGCTCTCCCCTGGACAAGTTGGTGTCCAGCACATCAG  
 ACCTGCCAAAACGCCTAGCCTCCCGAAAGTGTGTCTCCTGAGGAGTTCACAGAAATAATGAACCAAAG  
 AGAGCAATTCTACCATAAGGTGAATTTCTCCACCTGGTACACAAACAGCCTTTTCCCAGTACTTGG  
 TACCTGGAGCGAGTGGACGAGCAGCATCGCCGAAAGTATGCCCGGCGTCCCGTC

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:**

>RC208128 protein sequence  
 Red=Cloning site Green=Tags(s)

MQRLLTPVKRILQLTRAVQETSLTPARLLPVAHQRFSTASAVPLAKTDTWPKDVGILALEVYFPAQYVDQ  
 TDLEKYNVVEAGKYTVGLGQTRMGFCSVQEDINSLCLTVVQRLMERIQLPWDSVGRLEVGTETIIDKSKA  
 VKTVLMELFQDSGNTDIEGIDTTNACYGGTASLFNAANWMESSWDGRYAMVVCGLIAYVPSGNARPTGG  
 AGAVAMLIGPKAPLALERGLRGTHMENVYDFYKPNLASEYPIVDGKLSIQCYLRALDRCYTSYRKKIQNQ  
 WKQAGSDRPFLLDDLQYMFHTPFCKMVQKSLARLMFNDFLSASSDTQTSLYKGLEAFGGKLEEDTYTNK  
 DLDKALLKASQDMFDKTKASLYLSTHNGNMYTSSLYGCLASLLSHSAQELAGSRIAGFSYGSGLAASF  
 FSRVSDAAPGSPLDKLVSSSDLPKRLASRKCVSPEEFTEIMNQREQFYHKVNFSPPGDNTSLFPGTW  
 YLERVDEQHRRYARRPV

**TR**TRPLEQKLISEEDLAANDILDYKDDDDKV

**Chromatograms:**

[https://cdn.origene.com/chromatograms/mk6790\\_b06.zip](https://cdn.origene.com/chromatograms/mk6790_b06.zip)

**Restriction Sites:**

SgfI-MluI

**Cloning Scheme:**


**ACCN:** NM\_005518

**ORF Size:** 1524 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**Note:** Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

**RefSeq:** [NM\\_005518.4](#)

**RefSeq Size:** 2477 bp

**RefSeq ORF:** 1527 bp


**Locus ID:** 3158

**UniProt ID:** [P54868](#)  
**Cytogenetics:** 1p12  
**Domains:** HMG\_CoA\_synt  
**Protein Families:** Druggable Genome  
**Protein Pathways:** Butanoate metabolism, Metabolic pathways, PPAR signaling pathway, Synthesis and degradation of ketone bodies, Terpenoid backbone biosynthesis, Valine, leucine and isoleucine degradation


**MW:** 56.6 kDa

**Gene Summary:** The protein encoded by this gene belongs to the HMG-CoA synthase family. It is a mitochondrial enzyme that catalyzes the first reaction of ketogenesis, a metabolic pathway that provides lipid-derived energy for various organs during times of carbohydrate deprivation, such as fasting. Mutations in this gene are associated with HMG-CoA synthase deficiency. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.[provided by RefSeq, Oct 2009]


**Product images:**



Circular map for RC208128



Western blot validation of overexpression lysate (Cat# [LY417253]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC208128 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified HMGCS2 protein (Cat# [TP308128]). The protein was produced from HEK293T cells transfected with HMGCS2 cDNA clone (Cat# RC208128) using MegaTran 2.0 (Cat# [TT210002]).