

Product datasheet for RC208129

CRKL (NM_005207) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	CRKL (NM_005207) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	CRKL
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC208129 representing NM_005207 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCCGATCGCC

ATGTCCTCCGCCAGGTTTCGACTCCTCGGACCGCTCCGCCTGGTATATGGGGCCGGTGTCTCGCCAGGAGGCGCAGACCCGGCTCCAGGGCCAGCGCCACGGTATGTTCCCTCGTCCGCGATTCTTCCACCTGCCCTGGGGA
CTATGTGCTGTCGGTGTCCGAGAAGTCCGCGGCTCCCACTACATCATCAACTCGCTGCCAACCAGCCGT
TTAAGATCGGGGACCAGGAATTTGACCATTTGCCGGCCCTGCTGGAGTTTTACAAGATCCACTACCTGG
ACACCACCCTCATCGAGCCTGCGCCAGGTATCCAAGCCACCAATGGGATCTGCTCAGCACCCAA
CCTGCCTACAGCAGAAGATAACCTGGAATATGTACGGACTCTGTATGATTTTCTGGGAATGATGCCGAA
GACCTGCCCTTTAAAAAGGGTGAGATCCTAGTGATAATAGAGAAGCCTGAAGAACAGTGGTGGAGTGCC
GGAAACAAGGATGGCCGGTTGGGATGATTCCTGTCCCTTATGTCGAAAAGCTTGTGAGATCCTCACCACA
CGGAAAGCATGGAATAGGAATTCACAGTTATGGGATCCCAGAACCTGCTCATGCATACGCTCAACCT
CAGACCACAACCTCTACCTGCAGTTTCCGGTCTCCTGGGGCAGCAATCACCCCTTGGCCATCCACAC
AGAATGGACCTGTCTTTCGAAAGCAATCCAGAAAAGAGTACCCTGTGCTTATGACAAGACTGCCTTGGC
ATTAGAGGTTGGTGACATCGTAAAAGTCAAGGATGAATATAAATGGCCAGTGGGAAGGCGAAGTGAAC
GGGCGCAAAGGGCTTTTCCCTTACGCACGTCAAATCTTTGACCTCAAACCCAGATGAAAACGAG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >RC208129 representing NM_005207
Red=Cloning site Green=Tags(s)

MSSARFDSSDRSAWMPVSRQEAQTRLQGQRHGMFLVRDSSTCPGDYVLSVSENSRVSHYIINSLPNRR
 FKIGDQEFDHLPALLEFYKIHLYLDTTLLIEPAPRYSPPMGVSAPNLPTAEDNLEYVRTLYDFPGND
 AEDLDPFKKGEILVIEKPEEQWWSARNKDRVGMIPVYVEKLVSRSSPHGKHGHRNSNSYGIPEPAHAYAQP
 QTTTPLPAVSGSPGAAITPLPSTQNGPVFAKAIQKRVP CAYDKTALALEVGDIVKIVTRMNINGQWEGEVN
 GRKGLFPFTHVKIFDQPNDENE


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mg3676_h09.zip

Restriction Sites: SgfI-MluI


Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

Plasmid Map:




ACCN: NM_005207


ORF Size:	909 bp
OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_005207.4
RefSeq Size:	5235 bp
RefSeq ORF:	912 bp
Locus ID:	1399
UniProt ID:	P46109
Cytogenetics:	22q11.21
Domains:	SH2, SH3
Protein Families:	Druggable Genome
Protein Pathways:	Chemokine signaling pathway, Chronic myeloid leukemia, ErbB signaling pathway, Fc gamma R-mediated phagocytosis, Focal adhesion, Insulin signaling pathway, MAPK signaling pathway, Neurotrophin signaling pathway, Pathways in cancer, Regulation of actin cytoskeleton, Renal cell carcinoma
MW:	33.6 kDa

Gene Summary:

This gene encodes a protein kinase containing SH2 and SH3 (src homology) domains which has been shown to activate the RAS and JUN kinase signaling pathways and transform fibroblasts in a RAS-dependent fashion. It is a substrate of the BCR-ABL tyrosine kinase, plays a role in fibroblast transformation by BCR-ABL, and may be oncogenic.[provided by RefSeq, Jan 2009]

Product images:


Western blot validation of overexpression lysate (Cat# [LY417444]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC208129 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified CRKL protein (Cat# [TP308129]). The protein was produced from HEK293T cells transfected with CRKL cDNA clone (Cat# RC208129) using MegaTran 2.0 (Cat# [TT210002]).