

Product datasheet for **RC208196**

ACSL1 (NM_001995) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	ACSL1 (NM_001995) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	ACSL1
Synonyms:	ACS1; FACL1; FACL2; LACS; LACS1; LACS2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide
Sequence:

>RC208196 representing NM_001995
Red=Cloning site Blue=ORF Green=Tags(s)


TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGCAAGCCCATGAGCTGTTCCGGTATTTTCGAATGCCAGAGCTGGTTGACTTCCGACAGTACGTGCGTA
CTCTTCGACCAACACGCTTATGGGCTTCGGAGCTTTTGACAGCTCACCACCTTCTGGTACGCCACGAG
ACCCAAACCCCTGAAGCCGCCATGCGACCTCTCCATGCAGTCAGTGGAAGTGCGGGTAGTGGTGGTGCA
CGAAGATCCGCACTACTTGACAGCGACGAGCCCTTGGTGTATTTCTATGATGATGCACAACATTATACG
AAGGTTTCCAGAGGGGAATACAGGTGTCAAATAATGGCCCTTGTAGGCTCTCGAAACAGACCAACC
CTATGAATGGCTTTCATATAAACAGGTTGCAGAATTGTCGGAGTGCATAGGCTCAGCACTGATCCAGAAG
GGCTTCAAGACTGCCCAGATCAGTTCATTGGCATCTTGGCTCAAATAGACCTGAGTGGGTGATTATTG
AACAGGATGCTTTGCTTATTCGATGGTATCGTCCACTTTATGATACCCTTGGAAATGAAGCCATCAC
GTACATAGTCAACAAAGCTGAACTCTCTGGTTTTTGTGACAAGCCAGAGAAGGCCAACTCTTATTA
GAGGGTGTAGAAAATAAGTTAATACCAGGCCTTAAAATCATAGTTGTATGGATGCCTACGGCAGTGAAC
TGGTGGAAACGAGGCCAGAGGTGTGGGTGGAAGTCACCAGCATGAAGCGATGGAGGACCTGGGAAGAGC
CAACAGACGGAAGCCCAAGCCTCCAGCCTGAAGATCTTGACGTAATTTGTTTCAAGTGAAGTACA
GGCAACCCCAAAGGAGCAATGGTCACTACCGAAACATAGTGAGCGATTGTTTTCAGCTTTTGTGAAAGCAA
CAGAGAATACAGTCAATCCTTGCCAGATGATACTTTGATATCTTTTCCCTCTCGCCCATATGTTTGA
GAGAGTTGTAGAGTGTGAATGCTGTGCATGGAGCTAAAATCGGATTTTCCAAGGAGATACAGGCTG
CTCATGGATGACCTCAAGGTGCTTCAACCCACTGTCTCCCGTGGTCCAAGACTGCTGAACCGGATGT
TTGACCGAATTTTCGGACAAGCAAACACCAGCTGAAGCGATGGCTCTTGACTTTGCCTCCAAGAGGAA
AGAAGCAGAGCTTCGCAGCGGCATCATCAGAAACAACAGCCTGTGGGACCGGCTGATCTTCCACAAAGTA
CAGTCGAGCCTGGGCGGAAGAGTCCGGCTGATGGTGACAGGAGCCGCCCGGTGTCTGCCACTGTGCTGA
CGTTCTCAGAGCAGCCCTGGGCTGTCAGTTTTATGAAGGATACGGACAGACAGAGTGCAGTCCCGGGTG
CTGCCTGACCATGCCTGGAGACTGGACCGCAGGCCATGTTGGGGCCCGATGCCGTGCAATTTGATAAAA
CTTGTGATGTGGAAGAAATGAATTACATGGCTGCCGAGGGCGAGGGCGAGGTGTGTGTGAAAGGCCAA
ATGATTTTCAGGGCTACTTGAAGGACCCAGCGAAAACAGCAGAAGCTTTGGACAAAGACGGCTGTTTACA
CACAGGGGACATTGAAAATGGTTACCAAATGGCACCTTAAAAATATCGACCGAAAAAGCACATATTT
AAGCTGGCACAAGGAGAATACATAGCCCTGAAAAGATTGAAAATATCTACATGCGAAGTGAGCCTGTTG
CTCAGGTGTTGTCCACGGAGAAAGCCTGCAGGCATTTCTCATTGCAATTGTGGTACCAGATGTTGAGAC
ATTATGTTCTGGGCCAAAAGAGAGGATTTGAAGGGTCGTTGAGGAACTGTGCAGAAAATAGGATGTC
AAAAAAGCTATCCTCGAAGATATGGTGAGACTGGGAAGGATTCTGGTCTGAAACCATTTGAACAGGTCA
AAGGCATCACATTGCACCCTGAATTATTTCTATCGACAATGGCCTTCTGACTCCAACAATGAAGGCGAA
AAGGCCAGAGCTGCGGAACTATTCAGGTCGCAGATAGATGACCTCTATTCCACTATCAAGTT


ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_001995.5
RefSeq Size:	3822 bp
RefSeq ORF:	2097 bp
Locus ID:	2180
UniProt ID:	P33121
Cytogenetics:	4q35.1
Domains:	AMP-binding
Protein Families:	Transmembrane
Protein Pathways:	Adipocytokine signaling pathway, Fatty acid metabolism, Metabolic pathways, PPAR signaling pathway
MW:	77.8 kDa
Gene Summary:	The protein encoded by this gene is an isozyme of the long-chain fatty-acid-coenzyme A ligase family. Although differing in substrate specificity, subcellular localization, and tissue distribution, all isozymes of this family convert free long-chain fatty acids into fatty acyl-CoA esters, and thereby play a key role in lipid biosynthesis and fatty acid degradation. Several transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Nov 2013]

Product images:



Circular map for RC208196



Western blot validation of overexpression lysate (Cat# [LY419599]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC208196 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).