

Product datasheet for RC208196L1

EU: i CN:

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

ACSL1 (NM_001995) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: ACSL1 (NM 001995) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: ACSL1

Synonyms: ACS1; FACL1; FACL2; LACS; LACS1; LACS2

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC208196).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001995

ORF Size: 2094 bp





ACSL1 (NM_001995) Human Tagged Lenti ORF Clone - RC208196L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001995.2</u>

 RefSeq Size:
 3822 bp

 RefSeq ORF:
 2097 bp

 Locus ID:
 2180

 UniProt ID:
 P33121

Cytogenetics: 4q35.1

Domains: AMP-binding

Protein Families: Transmembrane

Protein Pathways: Adipocytokine signaling pathway, Fatty acid metabolism, Metabolic pathways, PPAR signaling

pathway

MW: 77.8 kDa


Gene Summary: The protein encoded by this gene is an isozyme of the long-chain fatty-acid-coenzyme A

ligase family. Although differing in substrate specificity, subcellular localization, and tissue distribution, all isozymes of this family convert free long-chain fatty acids into fatty acyl-CoA esters, and thereby play a key role in lipid biosynthesis and fatty acid degradation. Several transcript variants encoding different isoforms have been found for this gene. [provided by

RefSeq, Nov 2013]



Product images:



Circular map for RC208196L1