

## **Product datasheet for RC208278L3**

### 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

### ACOX2 (NM\_003500) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** ACOX2 (NM\_003500) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: ACOX2

Synonyms: BCOX; BRCACOX; BRCOX; CBAS6; THCCox

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC208278).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_003500

ORF Size: 2043 bp



#### ACOX2 (NM\_003500) Human Tagged Lenti ORF Clone - RC208278L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 003500.2</u>

RefSeq Size:2356 bpRefSeq ORF:2046 bpLocus ID:8309

UniProt ID: Q99424

Cytogenetics: 3p14.3

**Domains:** ACOX, Acyl-CoA dh

**Protein Pathways:** Metabolic pathways, PPAR signaling pathway, Primary bile acid biosynthesis

**MW:** 76.8 kDa


**Gene Summary:** The product of this gene belongs to the acyl-CoA oxidase family. It encodes the branched-

chain acyl-CoA oxidase which is involved in the degradation of long branched fatty acids and bile acid intermediates in peroxisomes. Deficiency of this enzyme results in the accumulation of branched fatty acids and bile acid intermediates, and may lead to Zellweger syndrome,

severe cognitive disability, and death in children. [provided by RefSeq, Mar 2009]



# **Product images:**



Circular map for RC208278L3