

## **Product datasheet for RC208339L1**

# USF2 (NM\_003367) Human Tagged Lenti ORF Clone

### **Product data:**

**Product Type:** Expression Plasmids

Product Name: USF2 (NM\_003367) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: USF2

Synonyms: bHLHb12; FIP

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC208339).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_003367

ORF Size: 1038 bp



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



#### **OTI Disclaimer:**

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:customercom">customercom</a> or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info

**OTI Annotation:** 

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** <u>NM 003367.2</u>

 RefSeq Size:
 1732 bp

 RefSeq ORF:
 1041 bp

 Locus ID:
 7392

 UniProt ID:
 Q15853

 Cytogenetics:
 19q13.12

Domains: HLH

**Protein Families:** Druggable Genome, Transcription Factors

MW: 37 kDa

**Gene Summary:** This gene encodes a member of the basic helix-loop-helix leucine zipper family of


transcription factors. The encoded protein can activate transcription through pyrimidine-rich

initiator (Inr) elements and E-box motifs and is involved in regulating multiple cellular


processes. [provided by RefSeq, Mar 2016]



## **Product images:**



Circular map for RC208339L1



Double digestion of RC208339L1 using Sgfl and Mlul