

## Product datasheet for RC208349L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Axin 1 (AXIN1) (NM\_181050) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** Axin 1 (AXIN1) (NM\_181050) Human Tagged ORF Clone Lentiviral Particle

Symbol: Axin 1

Synonyms: AXIN; PPP1R49

Mammalian Cell

Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag:Myc-DDKACCN:NM\_181050

ORF Size: 2478 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC208349).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 181050.1

 RefSeq Size:
 3369 bp

 RefSeq ORF:
 2481 bp

 Locus ID:
 8312

 UniProt ID:
 015169

Cytogenetics: 16p13.3

Protein Families: Druggable Genome, ES Cell Differentiation/IPS, Stem cell relevant signaling - Wnt Signaling

pathway





## Axin 1 (AXIN1) (NM\_181050) Human Tagged ORF Clone Lentiviral Particle - RC208349L3V

**Protein Pathways:** Basal cell carcinoma, Colorectal cancer, Endometrial cancer, Pathways in cancer, Wnt

signaling pathway

**MW:** 91.5 kDa

Gene Summary: This gene encodes a cytoplasmic protein which contains a regulation of G-protein signaling

(RGS) domain and a dishevelled and axin (DIX) domain. The encoded protein interacts with adenomatosis polyposis coli, catenin beta-1, glycogen synthase kinase 3 beta, protein phosphate 2, and itself. This protein functions as a negative regulator of the wingless-type MMTV integration site family, member 1 (WNT) signaling pathway and can induce apoptosis. The crystal structure of a portion of this protein, alone and in a complex with other proteins,

has been resolved. Mutations in this gene have been associated with hepatocellular

carcinoma, hepatoblastomas, ovarian endometriod adenocarcinomas, and

medullablastomas. Alternative splicing results in multiple transcript variants. [provided by

RefSeq, Jan 2016]