

# Product datasheet for RC208363L3

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Dnmt2 (TRDMT1) (NM\_004412) Human Tagged Lenti ORF Clone

#### **Product data:**

**Product Type: Expression Plasmids** 

**Product Name:** Dnmt2 (TRDMT1) (NM\_004412) Human Tagged Lenti ORF Clone

Tag: Myc-DDK Symbol: Dnmt2

Synonyms: DMNT2; DNMT2; MHSAIIP; PUMET; RNMT1

**Mammalian Cell** Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

The ORF insert of this clone is exactly the same as(RC208363). **ORF Nucleotide** 

Sgfl-Mlul

Sequence:

**Cloning Scheme:** 

**Restriction Sites:** 

Cloning sites used for ORF Shuttling:





<sup>\*</sup> The last codon before the Stop codon of the ORF.

ACCN: NM\_004412

**ORF Size:** 1173 bp





## Dnmt2 (TRDMT1) (NM\_004412) Human Tagged Lenti ORF Clone - RC208363L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 004412.4</u>

RefSeq Size: 7687 bp
RefSeq ORF: 1176 bp
Locus ID: 1787

UniProt ID: <u>O14717</u>

Cytogenetics: 10p13

**Domains:** DNA\_methylase

**Protein Families:** Druggable Genome

**Protein Pathways:** Cysteine and methionine metabolism, Metabolic pathways

MW: 44.6 kDa


**Gene Summary:** This gene encodes a protein responsible for the methylation of aspartic acid transfer RNA,

specifically at the cytosine-38 residue in the anticodon loop. This enzyme also possesses residual DNA-(cytosine-C5) methyltransferase activity. While similar in sequence and structure to DNA cytosine methyltransferases, this gene is distinct and highly conserved in its function


among taxa. [provided by RefSeq, Jun 2010]



# **Product images:**



Circular map for RC208363L3



Double digestion of RC208363L3 using Sgfl and Mlul