

Product datasheet for RC208364L2V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Eph receptor B3 (EPHB3) (NM_004443) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Eph receptor B3 (EPHB3) (NM_004443) Human Tagged ORF Clone Lentiviral Particle

Symbol: Eph receptor B3

Synonyms: EK2; ETK2; HEK2; TYRO6

Mammalian Cell

Selection:

None

Vector: pLenti-C-mGFP (PS100071)

Tag: mGFP

ACCN: NM_004443 **ORF Size:** 2994 bp

ORF Nucleotide

OTI Disclaimer:

PE Nucleotide The

Sequence:

The ORF insert of this clone is exactly the same as(RC208364).

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This

clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 004443.3

 RefSeq Size:
 4234 bp

 RefSeq ORF:
 2997 bp

 Locus ID:
 2049

 UniProt ID:
 P54753

 Cytogenetics:
 3q27.1

Protein Families: Druggable Genome, Protein Kinase, Transmembrane

Protein Pathways: Axon guidance





Eph receptor B3 (EPHB3) (NM_004443) Human Tagged ORF Clone Lentiviral Particle – RC208364L2V

MW: 110.33 kDa

Gene Summary:

Ephrin receptors and their ligands, the ephrins, mediate numerous developmental processes, particularly in the nervous system. Based on their structures and sequence relationships, ephrins are divided into the ephrin-A (EFNA) class, which are anchored to the membrane by a glycosylphosphatidylinositol linkage, and the ephrin-B (EFNB) class, which are transmembrane proteins. The Eph family of receptors are divided into two groups based on the similarity of their extracellular domain sequences and their affinities for binding ephrin-A and ephrin-B ligands. Ephrin receptors make up the largest subgroup of the receptor tyrosine kinase (RTK) family. This gene encodes a receptor for ephrin-B family members. [provided by RefSeq, Mar 2010]