

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC208400L3V

CD239 (BCAM) (NM_005581) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	CD239 (BCAM) (NM_005581) Human Tagged ORF Clone Lentiviral Particle
Symbol:	CD239
Synonyms:	AU; CD239; LU; MSK19
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_005581
ORF Size:	1884 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC208400).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 005581.3</u>
RefSeq Size:	2470 bp
RefSeq ORF:	1887 bp
Locus ID:	4059
UniProt ID:	<u>P50895</u>
Cytogenetics:	19q13.32
Protein Families:	Druggable Genome, Transmembrane
MW:	67.4 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



CD239 (BCAM) (NM_005581) Human Tagged ORF Clone Lentiviral Particle – RC208400L3V

Gene Summary:This gene encodes Lutheran blood group glycoprotein, a member of the immunoglobulin
superfamily and a receptor for the extracellular matrix protein, laminin. The protein contains
five extracellular immunoglobulin domains, a single transmembrane domain, and a short C-
terminal cytoplasmic tail. This protein may play a role in epithelial cell cancer and in vaso-
occlusion of red blood cells in sickle cell disease. Polymorphisms in this gene define some of
the antigens in the Lutheran system and also the Auberger system. Inactivating variants of
this gene result in the recessive Lutheran null phenotype, Lu(a-b-), of the Lutheran blood
group. Two transcript variants encoding different isoforms have been found for this gene.
[provided by RefSeq, May 2012]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US