

Product datasheet for RC208408L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

THBS4 (NM_003248) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: THBS4 (NM_003248) Human Tagged ORF Clone Lentiviral Particle

Symbol: THBS4

Synonyms: TSP-4; TSP4

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_003248

ORF Size: 2883 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC208408).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 003248.4

 RefSeq Size:
 3233 bp

 RefSeq ORF:
 2886 bp

 Locus ID:
 7060

 UniProt ID:
 P35443

 Cytogenetics:
 5q14.1

Domains: EGF_CA, TSPN, tsp_3, EGF, EGF

Protein Families: Druggable Genome





THBS4 (NM_003248) Human Tagged ORF Clone Lentiviral Particle - RC208408L4V

Protein Pathways: ECM-receptor interaction, Focal adhesion, TGF-beta signaling pathway

MW: 105.9 kDa

Gene Summary: The protein encoded by this gene belongs to the thrombospondin protein family.

Thrombospondin family members are adhesive glycoproteins that mediate cell-to-cell and cell-to-matrix interactions. This protein forms a pentamer and can bind to heparin and calcium. It is involved in local signaling in the developing and adult nervous system, and it contributes to spinal sensitization and neuropathic pain states. This gene is activated during the stromal response to invasive breast cancer. It may also play a role in inflammatory responses in Alzheimer's disease. Alternative splicing results in multiple transcript variants.

[provided by RefSeq, Apr 2015]