

### Product datasheet for RC208533L4

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Mitocondrial Translational Initiation Factor 3 (MTIF3) (NM\_152912) Human Tagged Lenti ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

Product Name: Mitocondrial Translational Initiation Factor 3 (MTIF3) (NM\_152912) Human Tagged Lenti ORF

Clone

Tag: mGFP

Symbol: Mitocondrial Translational Initiation Factor 3

Synonyms: IF3mt

Mammalian Cell Purom

Selection:

Puromycin

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)


**ORF Nucleotide** 


The ORF insert of this clone is exactly the same as(RC208533).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





 $<sup>\</sup>ensuremath{^*}$  The last codon before the Stop codon of the ORF.

**ACCN:** NM\_152912





# Mitocondrial Translational Initiation Factor 3 (MTIF3) (NM\_152912) Human Tagged Lenti ORF Clone - RC208533L4

ORF Size: 834 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 152912.3</u>, <u>NP 690876.2</u>

RefSeq Size: 1037 bp
RefSeq ORF: 837 bp
Locus ID: 219402
UniProt ID: Q9H2K0
Cytogenetics: 13q12.2
Domains: IF3 N

Domains: IF3\_N

**MW:** 31.7 kDa


**Gene Summary:** This gene encodes a translation initiation factor that is involved in mitochondrial protein

synthesis. Polymorphism in this gene is associated with the onset of Parkinson's disease. Alternate splicing results in multiple transcript variants. A pseudogene of this gene is found

on chromosome 5. [provided by RefSeq, Oct 2009]



## **Product images:**



Circular map for RC208533L4